

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

006

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		CONFIDENTIAL	
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone			
2. Name of Operator QEP UINTA BASIN INC		Contact: JOHN BUSCH E-Mail: john.busch@questar.com	
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078		3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323	
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface SENE 1817FNL 583FEL 40.03813 N Lat, 109.17413 W Lon At proposed prod. zone		5. Lease Serial No. UTU73917	
14. Distance in miles and direction from nearest town or post office* 38.5 + / - MILES SOUTHEAST OF VERNAL, UT		6. If Indian, Allottee or Tribe Name	
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 583 + / -		7. If Unit or CA Agreement, Name and No.	
16. No. of Acres in Lease 1098.51		8. Lease Name and Well No. RWS 8MU-14-9-24	
17. Spacing Unit dedicated to this well 40.00		9. API Well No. 43-047-35803	
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 6000 + / -		10. Field and Pool, or Exploratory UNDESIGNATED	
19. Proposed Depth 5175 MD		11. Sec., T., R., M., or Blk. and Survey or Area Sec 14 T9S R24E Mer SLB SME: BLM	
20. BLM/BIA Bond No. on file		12. County or Parish UINTAH	
21. Elevations (Show whether DF, KB, RT, GL, etc.) 5358 GL		13. State UT	
22. Approximate date work will start		23. Estimated duration 10 DAYS	

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature (Electronic Submission)	Name (Printed/Typed) JOHN BUSCH	Date 06/09/2004
Title OPERATIONS		
Approved by (Signature) (Electronic Submission)	Name (Printed/Typed) HOWARD B CLEAVINGER II	Date 12/21/2004
Title AFM FOR MINERAL RESOURCES	Office Vernal	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #31674 verified by the BLM Well Information System
For QEP UINTA BASIN INC, sent to the Vernal
Committed to AFMSS for processing by LESLIE WALKER on 06/17/2004 (04LW3922AE)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Revisions to Operator-Submitted EC Data for APD #31674

	Operator Submitted	BLM Revised (AFMSS)
Lease:	UTU-73917	UTU73917
Agreement:	BIG VALLEY UNIT	
Operator:	QEP UINTA BASIN, INC. 11002 E. 17500 S. VERNAL, UT 84078 Ph: 435.781.4341 Fx: 435.781.4323	QEP UINTA BASIN INC 11002 EAST 17500 SOUTH VERNAL, UT 84078 Ph: 435.781.4300
Admin Contact:	JOHN BUSCH OPERATIONS 11002 E. 17500 S. VERNAL, UT 84078 Ph: 435.781.4341 Fx: 435.781.4323 E-Mail: john.busch@questar.com	JOHN BUSCH OPERATIONS 11002 EAST 17500 SOUTH VERNAL, UT 84078 Ph: 435.781.4341 Fx: 435.781.4323 E-Mail: john.busch@questar.com
Tech Contact:		
Well Name:	RWS	RWS
Number:	8MU-14-9-24	8MU-14-9-24
Location:		
State:	UT	UT
County:	UINTAH	UINTAH
S/T/R:	Sec 14 T9S R24E Mer SLB	Sec 14 T9S R24E Mer SLB
Surf Loc:	SENE 1817FNL 583FEL 40.03813 N Lat, 109.17413 W Lon	SENE 1817FNL 583FEL 40.03813 N Lat, 109.17413 W Lon
Field/Pool:	UNDESIGNATED	UNDESIGNATED
Bond:	ESB000024	

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: QEU Uinta Basin Inc.

Well Name & Number: RWS 8MU-14-9-24

API Number: 43-047-35803

Lease Number: UTU – 73917

Location: SENE Sec. 14 TWN: 09S RNG: 24E

Agreement: N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Submit an electronic copy of all logs run on this well in LAS format. This submission will replace the requirement for submittal of paper logs to the BLM.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at ± 869 ft.

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator: QEP, Uinta Basin, Inc

API Number: 43-047-35803

Well Name & Number: 8MU-14-9-24

Lease number: U-73917


Location: SENE Sec, 14, T.9S. R. 24E.

Surface Ownership: BLM

Date NOS Received: 4/14/04

Date APD Received: 06/9/04

Conditions for Approval are in the APD.



Form 3160-3
(August 1999)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		CONFIDENTIAL	
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		7. If Unit or CA Agreement, Name and No. XXXXXXXXXX	
2. Name of Operator QEP UINTA BASIN, INC.		8. Lease Name and Well No. RWS 8MU-14-9-24	
3a. Address 11002 E. 17500 S. VERNAL, UT 84078		9. API Well No. 113047-35863	
3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323		10. Field and Pool, or Exploratory UNDESIGNATED Unlabeled	
4. Location of Well (Report location clearly and in accordance with any State requirements.) At surface SENE 1817FNL 583FEL 40.03813 N Lat, 109.17413 W Lon At proposed prod. zone 4433370 Y 109.17365		11. Sec., T., R., M., or Blk. and Survey or Area Sec 14 T9S R24E Mer SLB SME: BLM	
14. Distance in miles and direction from nearest town or post office* 38.5 +/- MILES SOUTHEAST OF VERNAL, UT		12. County or Parish UINTAH	
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 583 +/-		13. State UT	
16. No. of Acres in Lease 1098.51		17. Spacing Unit dedicated to this well 40.00	
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 6000 +/-		20. BLM/BIA Bond No. on file ESB000024	
21. Elevations (Show whether DF, KB, RT, GL, etc.) 5358 GL		23. Estimated duration 10 DAYS	

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature 	Name (Printed/Typed) JOHN BUSCH	Date 06/08/2004
Title OPERATIONS		
Approved by (Signature) 	Name (Printed/Typed) BRADLEY G. HILL	Date 06-22-04
Title [Signature]	Office ENVIRONMENTAL SCIENTIST III	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Electronic Submission #31674 verified by the BLM Well Information System
For QEP UINTA BASIN, INC., will be sent to the Vernal

RECEIVED


JUN 1 / 2004

DIV. OF OIL, GAS & MINING

Federal Approval of this
Action is Necessary

CONFIDENTIAL

T9S, R24E, S.L.B.&M.



LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(AUTONOMOUS NAD 83)
 LATITUDE = 40°02'17.26" (40.038128)
 LONGITUDE = 109°10'26.87" (109.174131)

QUESTAR EXPLORATION & PRODUCTION


Well location, RWS #8MU-14-9-24, located as shown in the SE 1/4 NE 1/4 of Section 14, T9S, R24E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK 45EAM LOCATED IN THE NW 1/4 SW 1/4 OF SECTION 6, T9S, R24E, S.L.B.&M. TAKEN FROM THE BONANZA, QUADRANGLE, UTAH, UTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5350 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert L. Key
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 161319
 STATE OF UTAH

REVISED: 04-23-04 D.COX

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 03-10-04	DATE DRAWN: 03-22-04
PARTY D.A. T.A. D.COX	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE QUESTAR EXPLORATION & PRODUCTION	

QEP UINTA BASIN, INC.
RWS 8MU-14-9-24
1817' FNL 583' FEL
SENE, SECTION 14, T9S, R24E,
UINTAH COUNTY, UTAH
LEASE# UTU-73917

ONSHORE ORDER NO. 1

MULTI – POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the RWS 8MU-14-9-24 on April 20, 2004. Weather conditions were clear and windy at the time of onsite. In attendance at the inspection were the following individuals:

Paul Buhler	Bureau of Land Management
Dixie Saddlier	Bureau of Land Management
Jan Nelson	QEP Uinta Basin, Inc.
John Busch	QEP Uinta Basin, Inc.

1 Existing Roads:

The proposed well site is approximately 38.5 miles Southeast of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

There will be no improvements made to existing access roads.

2. Planned Access Roads:

Please see QEP Uinta Basin Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see QEP Uinta Basin Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

5. Location and Type of Water Supply:

Please see QEP Uinta Basin Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

CONFIDENTIAL

6. **Source of Construction Materials:**

Please see QEP Uinta Basin Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

7. **Methods of Handling Waste Materials:**

Please see QEP Uinta Basin Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

8. **Ancillary Facilities:**

Please see QEP Uinta Basin Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

9. **Well Site Layout:** (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A pit liner is required felt if rock encountered.

10. **Plans for Reclamation of the Surface:**

Please see QEP Uinta Basin Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Seed mix # 3 12lbs/acre

Shadscale	4lbs/acre
Indian Rice Grass	3lbs/acre
Needle & Threadgrass	4lbs/acre
Crested Wheat Grass	1lb/acre

11. **Surface Ownership:**

The well pad and access road are located on lands owned by:

Bureau of Land Management
170 South 500 East
Vernal, Utah 84078
(435) 781-4400

12. **Other Information**

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

There is a Antelope Stipulation from May 15th through June 20th. No construction or drilling will commence during this period unless otherwise determined by a wildlife biologist that the site is inactive.

First major drainage will require low water crossing or culvert determined upon construction.

Low water crossing at second major drainage.

Install culvert in drainage next to well pad.

CONFIDENTIAL

Lessee's or Operator's Representative:

John Busch
Red Wash Operations Rep.
QEP Uinta Basin Inc.
11002 East 17500 South
Vernal, Utah 84078
(435) 781-4341

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

QEP Uinta Basin, Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by QEP Uinta Basin, Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.



John Busch
Red Wash Operations Representative

08-Jun-04

Date

CONFIDENTIAL

Additional Operator Remarks

QEP, Uinta Basin Inc. proposes to drill a well to 5175' to test the MesaVerde. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements

See attached Onshore No. 1

See Multi point surface use program.

Please be advised that QEP, Uinta Basin Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is QEP, Uinta Basin Inc. via surety as consent as provided for the 43 CFR 3104.2.

CONFIDENTIAL

Qep Uinta Basin, Inc.
RWS 8MU-14-9-24

ONSHORE OIL & GAS ORDER NO. 1
Approval of Operations on Onshore
Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<i>Formation</i>	<i>Depth</i>
Uinta	Surface
Green River	1070'
Wasatch	3570'
Mesa Verde	4670'
TD	5175'

2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

<i>Substance</i>	<i>Formation</i>	<i>Depth</i>
Oil/Gas	Mesa Verde	5175

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 2244.0 psi.

CONFIDENTIAL

QUESTAR EXPLR. & PROD.

RWS #8MU-14-9-24

LOCATED IN UINTAH COUNTY, UTAH
SECTION 14, T9S, R24E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: EASTERLY



- Since 1964 -

UELS Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

03
MONTH

15
DAY

04
YEAR

PHOTO

TAKEN BY: D.A.

DRAWN BY: P.M.

REVISED: 04-23-04


CONFIDENTIAL

QUEL FAR EXPLORATION & PROL CTION

FIGURE #1

LOCATION LAYOUT FOR


RWS #8MU-14-9-24
SECTION 14, T9S, R24E, S.L.B.&M.
1817' FNL 583' FEL



SCALE: 1" = 50'
DATE: 04-23-04
Drawn By: D.COX

NOTE:

Flare Pit is to be located
a min. of 100' from the
Well Head.



NOTES:

Elev. Ungraded Ground At Loc. Stake = 5358.6'
FINISHED GRADE ELEV. AT LOC. STAKE = 5357.6'

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

CONFIDENTIAL

QUARRY EXPLORATION & PROJECTION


FIGURE #2

TYPICAL CROSS SECTIONS FOR

RWS #8MU-14-9-24
SECTION 14, T9S, R24E, S.L.B.&M.
1817' FNL 583' FEL

1" = 20'
X-Section
Scale
1" = 50'

DATE: 04-23-04
Drawn By: D.COX



* NOTE:
FILL QUANTITY INCLUDES
5% FOR COMPACTION


APPROXIMATE YARDAGES

CUT
(6") Topsoil Stripping = 1,930 Cu. Yds.
Remaining Location = 14,870 Cu. Yds.

TOTAL CUT = 16,800 CU.YDS.
FILL = 7,420 CU.YDS.

EXCESS MATERIAL = 9,380 Cu. Yds.
Topsoil & Pit Backfill
(1/2 Pit Vol.) = 3,360 Cu. Yds.
EXCESS UNBALANCE = 6,020 Cu. Yds.
(After Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017



LEGEND:

○ PROPOSED LOCATION

QUESTAR EXPLR. & PROD.

RWS #8MU-14-9-24

SECTION 14, T9S, R24E, S.L.B.&M.

1817' FNL 583' FEL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813




TOPOGRAPHIC
 MAP

03 15 04
 MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: P.M. REVISED: 04-23-04





LEGEND:

- DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED

QUESTAR EXPLR. & PROD.

RWS #8MU-14-9-24
SECTION 14, T9S, R24E, S.L.B.&M.
1817' FNL 583' FEL



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC
MAP

03 15 04
MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 04-23-04



CONFIDENTIAL

003

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/17/2004

API NO. ASSIGNED: 43-047-35803

WELL NAME: RWS 8MU-14-9-24

OPERATOR: QEP UINTA BASIN, INC. (N2460)

CONTACT: JOHN BUSCH

PHONE NUMBER: 435-781-4341

PROPOSED LOCATION:

SENE 14 090S 240E

SURFACE: 1817 FNL 0583 FEL

BOTTOM: 1817 FNL 0583 FEL

UINTAH

WILDCAT (1)

LEASE TYPE: 1 - Federal

LEASE NUMBER: UTU-73917

SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: MVRD

COALBED METHANE WELL? NO

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LATITUDE: 40.03807

LONGITUDE: 109.17365


RECEIVED AND/OR REVIEWED:

☒ Plat
☒ Bond: Fed[1] Ind[] Sta[] Fee[]
(No. ESB000024)
☒ Potash (Y/N)
☒ Oil Shale 190-5 (B) or 190-3 or 190-13
☒ Water Permit
(No. 43-8496)
☒ RDCC Review (Y/N)
(Date:)
☒ Fee Surf Agreement (Y/N)

LOCATION AND SITING:

___ R649-2-3.
Unit ___
☒ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
___ R649-3-3. Exception
___ Drilling Unit
Board Cause No: ___
Eff Date: ___
Siting: ___
___ R649-3-11. Directional Drill

COMMENTS: Sm? SeparationSTIPULATIONS: 1- Federal Approval
2- Spacing Str




OPERATOR: QEP UINTA BASIN INC (N2460)

SEC. 14 T.9S, R.24E


FIELD: WILDCAT (001)

COUNTY: UINTAH

SPACING: R649-3-2/ GENERAL SITING



Utah Oil Gas and Mining



- Well Status
- GAS INJECTION
 - GAS STORAGE
 - LOCATION ABANDONED
 - NEW LOCATION
 - PLUGGED & ABANDONED
 - PRODUCING GAS
 - PRODUCING OIL
 - SHUT-IN GAS
 - SHUT-IN OIL
 - TEMP. ABANDONED
 - TEST WELL
 - WATER INJECTION
 - WATER SUPPLY
 - WATER DISPOSAL

PREPARED BY: DIANA WHITNEY
DATE: 18-JUNE-2004



State of Utah

Department of
Natural ResourcesROBERT L. MORGAN
*Executive Director*Division of
Oil, Gas & MiningLOWELL P. BRAXTON
*Division Director*OLENE S. WALKER
*Governor*GAYLE F. McKEACHNIE
Lieutenant Governor

June 22, 2004

QEP Uinta Basin, Inc.
11002 E 17500 S
Vernal, UT 84078Re: RWS 8MU-14-9-24 Well, 1817' FNL, 583' FEL, SE NE, Sec. 14, T. 9 South,
R. 24 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35803.

Sincerely,

for John R. Baza
Associate Directorpab
Enclosurescc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: QEP Uinta Basin, Inc.
Well Name & Number RWS 8MU-14-9-24
API Number: 43-047-35803
Lease: UTU-73917

Location: SE NE **Sec.** 14 **T.** 9 South **R.** 24 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.

UTU-73917

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

RWS 8MU-14-9-24

9. API Well No.

43-047-35803

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☐

Well

☒

Well

☐

Other

2. Name of Operator

QEP Uinta Basin Inc.

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

(435) 781-4341

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1817'FNL 583'FEL, SENE, SECTION 14, T9S, R24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒

Notice of Intent

☐

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☐

Other

☒

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

QEP Uinta Basin, Inc. proposes to drill this well to the Mesa Verde. The proposed TD was 5175', the new proposed TD will be 7100'. Please see attachments for BOP, casing and cementing changes.

QEP Uinta Basin, Inc. proposes the change the well name from RWS 8MU-14-9-24 to RWS 8ML-14-9-24.

Approved by the
Utah Division of
Oil, Gas and Mining

Date:

01-25-05
By: [Signature]

Federal Approval of this
Action is Necessary

RECEIVED

JAN 03 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Signed Jan Nelson

[Signature]

Title

Regulatory Affairs Analyst

12-30-04

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ONSHORE OIL & GAS ORDER NO. 1

QEP Uinta Basin, Inc.

RWS 8MU-14-9-24

DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1

Approval of Operations on Onshore

Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Prod. Phase Anticipated</u>
Uinta	Surface	
Green River	1070'	
Wasatch	3570'	Gas
Mesa Verde	4670'	
TD	7100'	

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil/Gas	Mesa Verde	7100'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right #36125 or Red Wash water right # 49-2153 to supply fresh water for drilling purposes.

3. Operator's Specification for Pressure Control Equipment:

ONSHORE OIL & GAS ORDER NO. 1

QEP Uinta Basin, Inc.

RWS 8MU-14-9-24

DRILLING PROGRAM

- A. 3,000 psi W.P. Double Gate BOP or Single Gate BOP (schematic attached)
- B. Functional test daily
- C. All casing strings shall be pressure tested (0.2 psi/foot or 1500 psi, whichever is greater) prior to drilling the plug after cementing; test pressure shall not exceed the internal yield pressure of the casing.
- D. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 3M system and individual components shall be operable as designed.

4. Casing Program

	<u>Depth</u>	<u>Hole Size</u>	<u>Csg Size</u>	<u>Type</u>	<u>Weight</u>
Surface	2000'+/-	12 1/4"	9-5/8"	J-55	36 lb/ft (new) LT&C
Production	TD	7 -7/8"	4 -1/2"	J-55	11.60 lb/ft (new)LT&C

5. Auxiliary Equipment

- A. Kelly Cock – yes
- B. Float at the bit – no
- C. Monitoring equipment on the mud system – visually and/or PVT/Flow Show
- D. Full opening safety valve on the rig floor – yes
- E. Rotating Head – yes
If drilling with air the following will be used:
- F. The blooie line shall be at least 6" in diameter and extend at least 100' from the well bore into the reserve/blooie pit.
- G. Blooie line ignition shall be provided by a continuous pilot (ignited when drilling below 500').
- H. Compressor shall be tied directly to the blooie line through a manifold.

DRILLING PROGRAM

- I. A mister with a continuous stream of water shall be installed near the end of the blooie lines for dust suppression.
- 6. Surface hole will be drilled with air, air/mist, foam, or mud depending on hole conditions. Drilling below surface casing will be with water based drilling fluids consisting primarily of fresh water, bentonite, lignite, caustic, lime, soda ash and polymers. No chromates will be used. It is not intended to use oil in the mud, however, in the event it is used, oil concentration will be less than 4% by volume. Maximum anticipated mud weight is 9.5 ppg.

No minimum quantity of weight material will be required to be kept on location.

PVT/Flow Show will be used from base of surface casing to TD.

Gas detector will be used from surface casing depth to TD.

6. Testing, logging and coring program

- A. Cores – none anticipated
- B. DST – none anticipated

Logging – Mud logging – 2000 to TD
GR-SP-Induction
Neutron Density
MRI

- C. Formation and Completion Interval: Mesa Verde interval, final determination of completion will be made by analysis of logs.
Stimulation – Stimulation will be designed for the particular area of interest as encountered.

DRILLING PROGRAM

7. Cementing Program

<u>Casing</u>	<u>Volume</u>	<u>Type & Additives</u>
Surface	1141sx	Class "G" single slurry mixed to 15.6 ppg, yield = 1.19 cf/sx. Fill to surface with 160 cf (685 sx) calculated. Tail plug used. Allowed to set under pressure
Production	Lead-729sx* Tail-904sx*	Lead/Tail oilfield type cement circulated in place . Tail slurry: Class "G" + gilsonite and additives as required, mixed to 14.8 ppg, yield = 1.34 cf/sx. Fill to 4100' (±500' above top of Production Zone). Cement Characteristics: Lead slurry: Class "G" + extender and additives as required, mixed to 11.0 ppg, yield = 3.82 cf/sx. Fill to surface. Tail plug used. Allowed to set under pressure.


*Final cement volumes to be calculated from caliper log with an attempt to be made to circulate cement to the surface. A bond log will be run across the zone of interest and across zones as required by the authorized officer to insure protection of natural resources.

8. Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards

No abnormal temperatures or pressures are anticipated. No H₂S has been encountered in or known to exist from previous wells drilled to similar depths in the general area. Maximum anticipated bottom hole pressure equals approximately 3079 psi. Maximum anticipated bottom hole temperature is 140° F.

DRILLING PROGRAM

SCHEMATIC DIAGRAM OF 3,000 PSI BOP STACK



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

009

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well	
Oil <input type="checkbox"/> Well	Gas <input checked="" type="checkbox"/> Well <input type="checkbox"/> Other
2. Name of Operator QEP, UTAH BASIN, INC.	
3. Address and Telephone No. 11002 E. 17500 S. VERNAL, UT 84078-8526	Contact: Dahn.Caldwell@questar.com 435-781-4342 Fax 435-781-4357
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SE NE, Sec 14-T9S-R24E, 1817' FNL, 583' FEL	

FORM APPROVED Budget Bureau No. 1004-0135 Expires March 31, 1993	
5. Lease Designation and Serial No. UTU-73917	
6. If Indian, Allottee or Tribe Name N/A	
7. If Unit or CA, Agreement Designation N/A	
8. Well Name and No. RWS 8MU 14 9 24	
9. API Well No. 43-047-35803	
10. Field and Pool, or Exploratory Area UNDESIGNATED	
11. County or Parish, State UINTAH COUNTY, UTAH	

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other SPUD	<input type="checkbox"/> Dispose Water
(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.		

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

This well was spud on 1/3/2005. Drilled 40' of conductor hole. Set 40' of 14" conductor pipe.

3 - BLM, 2- Utah OG&M, 1 - Denver, 1 - file Word file-server

14. I hereby certify that the foregoing is true and correct.
Signed Dahn F. Caldwell Dahn Caldwell Administrative Asst. Date 1/17/2005

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

CONFIDENTIAL

RECEIVED
JAN 20 2005

U.S. DEPT. OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
OFFICE OF OIL, GAS & MINING

WEEKLY OPERATIONS REPORT – January 20, 2005UINTA BASIN

T09S R24E S-14
43-047-35803

“Drilling Activity – Operated” 1-20-05

- Patterson #51 – WV 14MU-10-8-21 – TD at 10,366 feet, logging. Next well SG 11MU-14-8-22. PTD 9,100’.
- Patterson #52 – EHX 10MU-25-8-22 – Finish moving and rigging up, spud today. PTD 8,700’. Next well GH 5W-20-8-21, PTD 8,050’. Will skip the EHX 16MU-25-8-22 and leave it for Caza 57 later. Location too muddy to build.
- True #26 – RWS 8ML-14-9-24 – TD 7,125 feet, tripping out to log. Next well BSW 11ML-12-9-24 if logs on RWS 8ML-14-9-24 look good otherwise will move to the GB 3MU-3-8-22.

“Completions & New Wells to Sales” 1-14-05:

FR 9P-36-14-19: (100% WI) Entrada flowing post frac @ 900 psi FTP on a 48/64”, we will test if gas is burnable today, plan to flow test all weekend to clean-up CO₂.

RWU 34-23AG: (100% WI) Mu6, Ly2, Lu6, Gt7 & Gu6 were left open; tbg., rods & pump run; started pumping unit 12/21; currently making 86 BOPD, 254 BWPD and 6 mcfpd.

RWU 32-27AG: (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil, the Lw4 was wet (good inflow but trace oil), and the Lu6 was wet also; CIBP set over Mt7 and squeezing off Lw4 & Lu6, but Lx3 will be left open; more zones uphole to chase next week.

NBE 6ML-26-9-23: (43.75% WI) 3 LMV, 1 UMV and 1 Wasatch frac (395,000# proppant). All five fracs completed. Using Champion chemicals for SI treatment on this well. Flowback ON on a 24/64” choke. BLR = 410 bbls, LLTR = 5990 bbls. As of 6 am Thursday, FCP = 375# and 30 BWPH. SI and run kill plug and DO plugs.

WRU EHX 9MU-23-8-22: (43.75% WI) 3 LMV, 1 UMV and 1 Wasatch fracs (316,000# proppant). To sales 1-12-05. 712 mcf in 18 hours @ 1597 psi FTP & 1800 psi CP; 60 BWPD & 23 BOPD; **Run P/L Friday morning**; lower tubing after production log. 4094 BLLTR.

SC 3M-16-10-23: (100% WI) Drill up rubber plug and float collar @ 9377’. Clean out an additional 20’ to 9397’. POOH and RIH with bit and scraper; run CBL and prep for perf & DFIT.

011

State of Utah
Division of Oil, Gas and Mining

OPERATOR: QEP Uinta Basin, Inc.
ADDRESS: 11002 East 17500 South
Vernal, Utah 84078-8526

OPERATOR ACCT. No. N-2460

(435)781-4300

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
A	99999	14539	43-047-35803	RWS 8MU 14 9 24	SENE	14	9S	24E	Uintah	1/3/2005	1/31/05

WELL 1 COMMENTS: WASATCH

murd

CONFIDENTIAL

WELL 2 COMMENTS:

WELL 3 COMMENTS:

WELL 4 COMMENTS:

WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

2/02/04

NOTE: Use COMMENT section to explain why each Action Code was selected


(3/89)

Signature

Administrative Asst. 1/17/05

Title Date

Phone No. (435)781-4342



CONFIDENTIAL

WEEKLY OPERATIONS REPORT – February 17, 2005

QEP

UINTA BASINTOGS R34E S-14
43-047-35803"Drilling Activity – Operated" 2-17-05

- Patterson #51 – EHX 9MU-25-8-22 rigging down, ran casing, cemented, rig release 16:00 2/16/05. Next well GB 3MU-3-8-22. PTD 9,900'
- Patterson #52 – GHU 19 RHZ – Drilling horizontally at 6,803'. PTD 8,040', 2600' horizontal lateral, added 600' to lateral. Next well WV 3G-10-8-21, unit approved 2/16/05, ready for rig.
- True #26 – GB 4MU-36-8-21 drilling at 7,392', having some gas flow problems from shallow Uinta zone. PTD 8,900'. Received an additional 60 days to spud the BSW 11ML-12-9-24 from the BLM. Completions group fracing the RWS 8ML-14-9-24 tomorrow. Next well will now be the GB 7MU-36-8-21. PTD 8,850'. Then the COY 12ML-24-8-24 and then the BSW 11ML-12-9-24 depending on the RWS 8ML-14 results.

"Completions & New Wells to Sales" 2-17-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to sales; DOFP was Sat. Feb. 12th; flow tested @ 3.8 Mmcfd @ 1427 psi FCP on 2 - 11/64" (2 sep.) against 870 psi LP; currently curtailed through existing compressor @ 963 Mcfd @ 2127 psi FCP on a 11/64" choke w/ 2 BO in 5 days & no water; on Mar. 1st Comet will be shutting down (and moving) downstream compressor, which will allow us to flow unrestricted against the higher LP (or flow through compressor @ 250 psi suction – 7.5 Mmcfd capacity).

RWU 32-27AG: (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil; Frt7 zone had trace oil and 1 BFPH post-acid; RIH w/ tbg., rods, & pump; will move pumping unit pending mud.

SC 3M-16-10-23: (100% WI) 4 fracs pumped Jan. 28th; well to sales @ 8 p.m Feb. 3rd; currently flowing 1.91 Mmcfd @ 1008 psi FTP & 1311 psi CP w/ 10 BOPD & 106 BWPD on a 17/64" choke.

SC 13M-16-10-23: (100% WI) Frac'd 3 MV, 1 MV breakdown, 1 Wasatch frac on Mon./Tues last week; well to sales Sat. Feb. 12th; currently flowing 1.6 Mmcfd @ 1308 psi FTP & 1770 psi CP w/ 14 BOPD & 334 BWPD on a 18/64" choke.

SC 11M-16-10-23: (100% WI) Frac'd. 3 MV and 1 Wasatch Tues., Feb. 15th; well was flowing @ 1500 psi FCP the next morning on a 18/64" choke; 40 BWPH; 450 bbls. rec.; drilling plugs currently; looks like a strong well.

SCT 8G-12-7-22: (25% WI) Gt7 & Ev5 zones frac'd. last Weds.; zones swabbed wet; moving uphole to Deadman zones; perfing today.

RWS 8ML-14-~~89~~-24: (25% WI) 3 MV fracs set for Friday.

WEEKLY OPERATIONS REPORT – February 24, 2005

QEP

TOGS R24E S-14

UINTA BASIN

43-040-35803

“Drilling Activity – Operated” 2-24-05

- Patterson #51 – GB 3MU-3-8-22 drilling at 5,795 feet. PTD 9,900'. Next well WRU EIH 11ML-24-8-22 directional pad well if Westport signs the AFE's in time. Otherwise will place another well in front of it.
- Patterson #52 – GHU 19 RHZ – Drilling horizontally at 7,823 feet. PTD 8,040', 2600' horizontal lateral, added 600' to lateral. Next well WV 3G-10-8-21, unit approved 2/16/05, ready for rig.
- True #26 – COY 12ML-24-8-24 rigging up, should spud today. PTD 7,600'. Next well BSW 11ML-12-9-24 depending on the RWS 8ML-14-9-24 results. Otherwise the GB 7MU-36-8-21 (unless it is moved to Patterson 51).

“Completions & New Wells to Sales” 2-25-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to sales; DOFP was Sat. Feb. 12th; flow tested @ 3.8 Mmcfd @ 1427 psi FCP on 2 - 11/64" (2 sep.) against 870 psi LP; currently curtailed through existing compressor @ 1081 Mcfd @ 2251 psi FCP on a 11/64" choke w/ no fluid; Comet will be shutting down (and moving) downstream compressor, which will allow us to flow unrestricted against the higher LP (or flow through compressor @ 250 psi suction – 7.5 Mmcfd capacity); due to weather delays, this is now est. to happen Mar. 21st.

SC 11M-16-10-23: (100% WI) Frac'd. 3 MV and 1 Wasatch Tues., Feb. 15th; well went to sales 2-18-05; currently flowing @ 1746 mcfpd @ 1662 psi FTP & 1901 psi CP w/ 76 BWPD & 12 BOPD on a 13/64" choke.

SCT 8G-12-7-22: (25% WI) Prep. to P&A.

RWS 8ML-14-9-24: (25% WI) 3 MV fracs pumped last Friday; drilled plugs, landed tbg, swabbing back; has not kicked off and maintained flow yet; 1804 BLLTR.

NBE 11ML-17-9-23: (43.75% WI) Set kill plug. RIH w/ tbg, bit, & PO sub. Drilled up kill plug, circulate clean & SWIFN. 5720 BLLTR.

SG 14MU-14-8-22: (43.75% WI) Frac'd w/ 245,000 lbs sand. (1 MV & 2 Wasatch) on 2/24; open at 6:00 PM, SICP 1250 psi. 8:00 PM FCP 900 psi on 12/64" choke. 5:00 AM FCP 50 psi on 24/64 choke. Recovered 325 bbl overnight, 2959 BLLTR. Will set kill plug and RIH w/ tbg, bit, & PO sub today.

SG 11MU-14-8-22: (43.75% WI) MIRU Key rig today.

GHU 19 RHZ: (100% WI) Will have rig available to complete once drlg. rig is off location next week.

DS 14G-8-10-18: (71.875% WI) MIRU Basin rig early next week.

****There are 12 wells waiting on completion, but we have rigs on or heading to all “dry” locations.****

WEEKLY OPERATIONS REPORT – March 3, 2005

TOIS R34E S-14
43-047-35803

UINTA BASIN“Drilling Activity – Operated” 3-3-05

- Patterson #51 – GB 3MU-3-8-22 drilling at 9,730 feet, will TD today. PTD 9,900'. Next well WRU EIH 11ML-24-8-22 directional pad well. PTD 10,358' TVD, 10,600' MD.
- Patterson #52 – WV 3G-10-8-21 hot oiling casing in order to set whipstock. Drill one 2,600' lateral. Next well RW 12-36B horizontal well with two 2,100' laterals.
- True #26 – COY 12ML-24-8-24 at TD 7,860', tripping out for logs. Next well GB 7MU-36-8-21. PTD 8,850'.

“Completions & New Wells to Sales” 3-3-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to sales; DOFP was Sat. Feb. 12th, flow tested @ 3.8 Mmcfd @ 1427 psi FCP on 2 - 11/64" (2 sep.) against 870 psi LP; currently curtailed through existing compressor @ 1105 Mcfd @ 2289 psi FCP on a 11/64" choke w/ no fluid; Comet will be shutting down (and moving) downstream compressor, which will allow us to flow unrestricted against the higher LP on Mar. 21st. Pursuing multiple compressor options.

SCT 8G-12-7-22: (25% WI) P&A'd.

RWS 8ML-14-9-24: (25% WI) 3 MV fracs pumped; isolating individual intervals w/ BP & pkr. for gas entry w/ limited fluid entry; so far no success.

SG 14MU-14-8-22: (43.75% WI) Frac'd w/ 245,000 lbs sand. (1 MV & 2 Wasatch) on 2/24; went to sales 2/28; currently flowing @ 1063 mcfpd @ 560 psi FTP & 960 psi CP w/ 105 BWPD & 5 BOPD on a 20/64" ck.

SG 11MU-14-8-22: (43.75% WI) 4 fracs pumped Tues. 3/1; drilling plugs.

WRU EIH 3MU-25-8-22: (43.75% WI) Frac'd 3 Mesa Verde stages w/ 160,000 lb sand; 4 Wasatch fracs today 3/3.

WV 14MU-10-8-21: (100% WI) Fracs. set for Mon./Tues. next week.

GHU 19 RHZ: (100% WI) Rig will MIRU Friday 3/4.

DS 14G-8-10-18: (71.875% WI) MIRU Basin rig Monday 3/7.

****There are 11 wells waiting on completion, but locations are starting to dry up to allow access.**

WEEKLY OPERATIONS REPORT – March 10, 2005

T093R34E S-14
43-049-35803

UINTA BASIN“Drilling Activity – Operated” 3-10-05

- Patterson #51 – WRU EIH 11ML-24-8-22 drilling at 2,545 feet in tangent. PTD 10,600' MD. Next well WRU EIH 12ML-24-8-22 directional pad well. PTD 10,391' TVD, 10,430' MD.
- Patterson #52 – WV 3G-10-8-21 drilling at 5,529 feet building angle at 55.2°. Drill one 2,600' lateral. Next well RW 12-36B horizontal well with two 2,100' laterals.
- True #26 – GB 7MU-36-8-21 drilling at 5,330 feet. PTD 8,850'. Next well SG 8MU-11-8-22. PTD 9,500'.

“Completions & New Wells to Sales” 3-10-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to sales; DOFP was Sat. Feb. 12th, flow tested @ 3.8 Mmcfd @ 1427 psi FCP on 2 - 11/64" (2 sep.) against 870 psi LP; currently curtailed through existing compressor @ 1083 Mcfd @ 2281 psi FCP on a 11/64" choke w/ no fluid; Comet will be shutting down (and moving) downstream compressor, which will allow us to flow unrestricted against the higher LP on Mar. 21st. Will order lease compressor Friday once ROW w/ tribe is signed.

RWS 8ML-14-9-24: (25% WI) 3 MV fracs pumped; isolated 3 sets of intervals w/ BP & pkr. for gas entry w/ limited fluid entry; but all appeared wet, perf'd and brokedown 7 MV coals, will add 2 sands and acidize Friday.

SG 11MU-14-8-22: (43.75% WI) 4 fracs pumped Tues. 3/1; swabbing well in; might kick-off tomorrow.

WV 14MU-10-8-21: (100% WI) Frac'd. 3 MV & 3 Wasatch; flowed back 660 bbl overnight; set kill plug, RIH w/ tbg & bit; drilled out plugs today; well very lively (750 psi FCP on a 48/64" & 32/64").

GHU 19 RHZ: (100% WI) Tbg., rods, & pump run Weds.; RDMO rig this a.m.; leveled location; gravel for pad and crane for PU scheduled for Friday a.m.; will start PU late Friday.

DS 14G-8-10-18: (71.875% WI) GR Fmn.; 2.5 bbls. entry ON; 50% oil; swabbing 100% oil by the end of today; frac. set for Mon. 3/14.

EIHX 10MU-25-8-22: (100% WI) Frac'd. 1 Mesa Verde / 2 Wasatch Weds.; drilling plugs Friday.

EIHX 11MU-25-8-22: (100% WI) Frac'd. 1 Mesa Verde / 2 Wasatch Thurs.

WEEKLY OPERATIONS REPORT – March 17, 2005

QEP

UINTA BASINT095 R 24E S14
43-042-35803“Drilling Activity – Operated” 3-17-05

- Patterson #51 – WRU EIH 11ML-24-8-22 drilling at 5,280 feet dropping angle. 7” intermediate casing set at 4,155’. PTD 10,600’ MD. Next well WRU EIH 12ML-24-8-22 directional pad well. PTD 10,391’ TVD, 10,430’ MD.
- Patterson #52 – WV 3G-10-8-21 drilling at 6,780 feet drilling horizontal in zone. Drill one 2,600’ lateral. Next well RW 12-36B horizontal well with two 2,100’ laterals.
- True #26 – GB 7MU-36-8-21 cemented casing, rigged down, moving today. Next well SG 8MU-11-8-22. PTD 9,500’.

“Completions & New Wells to Sales” 3-17-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to sales; DOFP was Sat. Feb. 12th; flow tested @ 3.8 Mmcfpd @ 1427 psi FCP on 2 - 11/64” (2 sep.) against 870 psi LP; currently curtailed through existing compressor @ 1072 Mcfpd @ 2309 psi FCP on a 11/64” choke w/ no fluid; Comet will be shutting down (and moving) downstream compressor, which will allow us to flow unrestricted against the higher LP on Mar. 21st. Ordered lease compressor Mon., Mar. 14th; est. delivery in 3 weeks.

RWS 8ML-14-9-24: (25% WI) 3 MV fracs pumped; isolated 3 sets of intervals w/ BP & pkr. for gas entry w/ limited fluid entry, but all appeared wet; perf’d and brokedown 7 MV coals and 2 sands and acidized; currently swabbing; FL 1300’ & 17 bbls. inflow ON past two mornings; need to have continuous completion operations up and over Mar. 31st to get 2 year extension.

GHU 19 RHZ: (100% WI) Started PU last Friday; pumped 50 bbl xysol (aromatic solvent) Weds., SI to soak for 24 hrs.; will re-start PU 11:00 this morning; new production numbers Friday.

DS 14G-8-10-18: (71.875% WI) GR frac. Mon. 3/14; swabbing 3.5 BFPH w/ 95 % oil cut; RIH w/ tbg. rods & pump currently; well looks to have come in as expected.

WRU EIH 10MU-23-8-22: POOH w/ tbg. Will CBL & perforate today.

EIH 14MU-25-8-22: (100% WI) Ran CBL, TOC @ 1950’. Perforated 1st MV interval. SI well, scheduled to frac Monday.

WV 14M-11-8-21: (100% WI) Yesterday SICP 5500 psi. Bled off gas head in 30 sec w/ approx 1 bbl water. Left well open for 3 hrs, recovered 1/2 bbl water. Frac today & tomorrow w/ 740,000 lbs 20/40 Econoprop; at press time, Mancos ‘B’/Shale frac went off as per design; frac’ing Blackhawk currently.

****There are 6 wells waiting on a completion rig as of today. Three of those will have a rig on them next week. There are 2 additional wells WOQGM ROW.**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side).

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

017

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> Other _____						5. LEASE DESIGNATION AND SERIAL NO. UTU-73917	
b. TYPE OF COMPLETION NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR <input type="checkbox"/> Other _____						6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
2. NAME OF OPERATOR QEP UINTA BASIN, INC.						7. UNIT AGREEMENT NAME N/A	
3. ADDRESS OF OPERATOR 11002 E. 17500 S. VERNAL, UT 84078-8526 435-781-4342						8. FARM OR LEASE NAME N/A	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface SENE, 1817' FNL, 583' FEL, Sec 14-T9S-R24E At top rod. interval reported below SENE, 1817' FNL, 583' FEL, Sec 14-T9S-R24E At total depth SENE, 1817' FNL, 583' FEL, Sec 14-T9S-R24E						9. WELL NO. RWS 8ML 14-9-24	
14. PERMIT NO. API - 43-047-35803						12. COUNTY OR PARISH Uintah	
DATE ISSUED						13. STATE UT	
15. DATE SPUDDED 01/03/2005		16. DATE T.D. REACHED 01/20/2005		17. DATE COMPL. (Ready to prod.) 4/04/05		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* KB	
19. ELEV. CASINGHEAD		20. TOTAL DEPTH, MD & TVD 7125'		21. PLUG BACK T.D., MD & TVD 7082'		22. IF MULTIPLE COMPL. HOW MANY*	
23. INTERVALS DRILLED BY →		24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)* See Attachment Page 1		25. WAS DIRECTIONAL SURVEY MADE No		26. TYPE ELECTRIC AND OTHER LOGS RUN CBL, Gamma Ray, Resistivity, Density Poro., Neutron Poro.	
27. WAS WELL CORED		28. CASING RECORD (Report all strings set in well)					
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE	
9-5/8"		36#		2718'		12-1/4"	
4-1/2"		11.6#		7125'		7-7/8"	
29. LINER RECORD		30. TUBING RECORD		31. PERFORATION RECORD (Interval, size and number) See Attachment Page 1 "Perforation Detail"			
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*	
2-3/8"		5809'		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED				See Attachment Page 1	
33. PRODUCTION		DATE FIRST PRODUCTION				PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) None - SI	
WELL STATUS (Producing or shut-in) SI		DATE OF TEST				HOURS TESTED	
CHOKE SIZE		PROD'N FOR TEST PERIOD		OIL--BBL.		GAS--MCF	
WATER--BBL.		OIL GRAVITY-API (CORR.)		FLOW TUBING PRESS		CASING PRESSURE	
CALCULATED 24-HOUR RATE		OIL--BBL.		GAS--MCF		WATER--BBL.	
34. DISPOSITION OF GAS (Solid, used for fuel, vented, etc.) N/A - SI		TEST WITNESSED BY RECEIVED				MAY 04 2005	
35. LIST OF ATTACHMENTS Attachment Page 1 - Perforation Details and Updated Testing Detail		36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records				SIGNED Mike E. Stahl TITLE Completion Engineer	
DATE 4/28/05		DIV. OF OIL, GAS & MINING				CONFIDENTIAL	

(See Instructions and Spaces for Additional Data on the Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):				38. GEOLOGIC MARKERS RWS 8ML 14 9 24		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
UINTA	SURFACE			UINTA	SURFACE	
GREEN RIVER	1256			GREEN RIVER	1256	
MAHOGANY	N/A			MAHOGANY	N/A	
WASATCH	3381			WASATCH	3381	
MESA VERDE	4631			MESA VERDE	4631	
SEGO	6751			SEGO	6751	
BUCK TONGUE	6901			BUCK TONGUE	6901	
CASTLE GATE	7071			CASTLE GATE	7071	
TD	7125			TD	7125	

CONFIDENTIAL

RSW 8ML 14 9 24 – Attachment Page 1
PERFORATION DETAIL:

Open Perfs	Stimulation	Perf Status
3457' – 3459'		Open - GR Qu6
4604' – 4606'		Open – Upper MV
4610' – 4612'		Open – Upper MV
4625' – 4627'		Open – Upper MV
4645' – 4647'		Open – Upper MV
4802' – 4804'		
5092' – 5094'		Open – Upper MV
5151' – 5153'		Open – Upper MV
5167' – 5169'		Open – Upper MV
		CIBP @ 5920'
5952' – 5954'	Acidize w/ 750 gals 15% HCL	Open – Middle MV
6022' – 6024'		Open – Middle MV
6060' – 6062'		Open – Middle MV
6104' – 6106'		Open – Middle MV
6124' – 6126'		Open – Middle MV
6154' – 6156'		Open – Middle MV
6174' – 6176'		Open – Middle MV
6194' – 6196'		Open – Middle MV
6210' – 6220'		Open – Middle MV
		CIBP @ 6245' w/ 35' cmt
6258' – 6266'	Frac w/ 60,000 Lbs in 26,250 Gals	Open – Mesa Verde
6350' – 6352'		
6368' – 6374'		
6468' – 6476'	Frac w/ 100,000 Lbs in 45,024 Gals	Open – Mesa Verde
6484' – 6488'		
6512' – 6516'		
6596' – 6602'	Frac w/ 175,000 Lbs in 76,608 Gals	Open – Mesa Verde
6612' – 6618'		
6632' – 6638'		
6865' – 6875'		Dump 35' cmt on top of CIBP @ 6850' Open - Sego
Total SLF	335,000 Lbs in 147,882 Gals	

CONFIDENTIAL

On February 10th, 2005, the Gudac Bros. Well Service rig was MIRU on the RWS 8ML-14-9-24 well to begin completion operations. During completion, the following intervals were perforated and tested:

2/14/05 to 2/16/05	Sego 6865-75'
2/18/05 to 3/9/05	Mesa Verde 6632-38'; 6612-18'; 6596-6602'; 6512-16'; 6484-88'; 6468-76'; 6368-74'; 6350-52'; 6258-66'
3/9/05 to 3/18/05	Mesa Verde 6210-20'; 6194-96'; 6174-76'; 6154-56'; 6124-26'; 6104-06'; 6060-62'; 6022-24'; 5952-54' (Note: 6174-76' and 5952-54' added 3/11/05)
3/18/05 to 3/28/05	Mesa Verde 5167-69'; 5151-53'; 5092-94'
3/28/05 to 3/30/05	Mesa Verde 4802-04'; 4645-47'; 4625-27'; 4610-12'; 4604-06'
3/31/05 to 4/5/05	Green River Qu6 3457-59'
4/6/05	RDMO Gudac Bros. Well Service

No economic amounts of oil or gas were found in the above intervals. The well is currently shut in pending further economic evaluation. Based upon Questar Exploration & Production's efforts to develop commercial production in this well over the deadline period, it is our position that Questar Exploration & Production should be granted a two year extension on the lease for further exploration.

CONFIDENTIAL

FIELD: REDWASH SOUTH		GL: 5,358 ' KBE: 5,381 '	Start Date: 2/10/05	sTOP Date: 4/04/05
Well: RWS 8ML 14 9 24		TD: 7,125 ' PBDT: 7,082 '	Current Well Statu Producing Gas Well	
Location: SENE, SEC 14-T9S-R24E 1817' FNL, 583' FEL Uintah County, Utah		API# 43-047-35803		
Reason for Pull/Workover: Initial Completion Gas Well				
Wellbore Schematic				
<div><div><div>Surface casing Size: 9 5/8" Weight 36# Grade: J-55 Cmtd w/ 925 sxs Hole size: 12 1/4" Set @ 2718'</div><div>EXCLUDED PERFS</div><div>Production Casing Size: 4-1/2" Weight: 11.6# Cmtd w/ 1195 sxs Hole size: 7-7/8" Set @ 7125'</div></div><div><div>TOC @ 940 '</div><div>OPEN PERFS</div><div>3457' - 3459' Green River Qu6</div><div>4604' - 4606' Upper MV</div><div>4610' - 4612' Upper MV</div><div>4625' - 4627' Upper MV</div><div>4645' - 4647' Upper MV</div><div>4802' - 4804' Upper MV</div><div>5092' - 5094' Upper MV</div><div>5151' - 5153' Upper MV</div><div>5167' - 5169' Upper MV</div><div>F Nipple @ 5776 '</div><div>EOT @ 5809 '</div><div>CIBP @ 5920'</div><div>5952' - 5954' Middle MV</div><div>6022' - 6024' Middle MV</div><div>6060' - 6062' Middle MV</div><div>6104' - 6106' Middle MV</div><div>6124' - 6126' Middle MV</div><div>6154' - 6156' Middle MV</div><div>6174' - 6176' Middle MV</div><div>6194' - 6196' Middle MV</div><div>6210' - 6220' Middle MV</div><div>Dump 35' cmt on top of</div><div>CIBP @ 6245'</div><div>6258' - 6266' Mesa Verde</div><div>6350' - 6352' Mesa Verde</div><div>6368' - 6374' Mesa Verde</div><div>6468' - 6476' Mesa Verde</div><div>6484' - 6488' Mesa Verde</div><div>6512' - 6516' Mesa Verde</div><div>6596' - 6602' Mesa Verde</div><div>6612' - 6618' Mesa Verde</div><div>6632' - 6638' Mesa Verde</div><div>6865' - 6875' Sego - Dump 35' cmt on top of CIBP @ 6850'</div><div>PBDT @ 7082 '</div><div>TD @ 7125 '</div></div></div>				
Tubing Landing Detail:				
Description	Size	Footage	Depth	
KB to Tbg Head		23.00	23.00	
Hanger		0.75	23.75	
177 jts - 2 3/8" J-55 tubing	2 3/8"	5,751.52	5,775.27	
F Nipple (1.81" ID)		0.91	5,776.18	
1 jts - 2 3/8" J-55 tubing	2 3/8"	32.43	5,808.61	
			5,808.61	
EOT @			5,808.61	
Tubing Information				
Condition:				
New:	X	Used:	Rerun:	
Grade:	J-55 eue 8rd			
Weight (#/ft):	4.7#			
Wellhead Detail:				
7 1/16" 2000#				
7 1/16" 3000#				
7 1/16" 5000#				
Other:				
Hanger:	Yes	X	No	
SUMMARY				
Initial Completion: 2/10/05 - 4/04/05				
Ran CBL/VDL/GR logs. Perf Sego Interval 6865' - 6875' Set pkr @ 6800'. Swab - made 6 runs & recovered 35 bbls water w/ slight gas on the last run. FFL - 6200', swabbing from 6760'. Final gas cut - slight. Set CIBP @ 6850'. Dump bail 35' cement on top of plug.				
Perforate & Frac Mesa Verde interval 6632' - 6638', 6612' - 6618' & 6596' - 6602' w/ Delta 200 - 22# system containing 175,000# ²⁰ /40 sand in 76,608 gals at ATR = 54 BPM, ATP = 2941 psig, ISIP = 1940 psig.				
Perforate & Frac gross Mesa Verde interval 6512' - 6516', 6484' - 6488' & 6468' - 6476' w/ Delta 200 - 20# system containing 100,000# ²⁰ /40 sand in 45,024 gals at ATR = 49.7 BPM, ATP = 3563 psig, ISIP = 1830 psig.				
Perforate & Frac gross Mesa Verde interval 6368' - 6374', 6350' - 6352' & 6258' - 6266' w/ Delta 200 - 18# system containing 60,000# ²⁰ /40 sand in 26,250 gals at ATR = 49.5 BPM, ATP = 3448 psig, ISIP = 1890 psig.				
Perforate Middle Mesa Verde Interval 6210' - 6220', 6194' - 6196', 6174' - 6176', 6154' - 6156', 6124' - 6126', 6104' - 6106', 6060' - 6062', 6022' - 6024' & 5952' - 5954'. Acidize ingross interval 5952' - 6220' w/ 750 gals 15% HCL + additives down tbg w/ 110 Bio-balls throughout. Good ball action seen. Avg rate = 4.0 BPM, avg psi = 2000#, ISIP = 1587#.				
Dump bail 35' cement in CIBP @ 6245'. Set CIBP @ 5920'.				
Perforate Upper Mesa Verde interval 5167' - 5169', 5151' - 5153' & 5092' - 5094'.				
Perforate Upper Mesa Verde interval 4802' - 4804', 4645' - 4647', 4625' - 4627', 4610' - 4612' & 4604' - 4606'. RBP @ 3538'.				
Perforate Green River Qu6 interval 3457' - 3459'. Packer set @ 3407'. EOT @ 5809'.				

Prepared By: Dahn Caldwell

Date: 4/12/05

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
 2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator):

N2460-QEP Uinta Basin, Inc.
 1050 17th St, Suite 500
 Denver, CO 80265

Phone: 1 (303) 672-6900

TO: (New Operator):

N5085-Questar E&P Company
 1050 17th St, Suite 500
 Denver, CO 80265

Phone: 1 (303) 672-6900

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
FEDERAL 2-29-7-22	FEDERAL 2-29-7-22	NESW	29	070S	220E	4304715423	5266	Federal	GW	S
UTAH FED D-1	UTAH FED D-1	SWSW	14	070S	240E	4304715936	10699	Federal	GW	S
UTAH FED D-2	UTAH FED D-2	NESW	25	070S	240E	4304715937	9295	Federal	GW	S
PRINCE 1	PRINCE 1	SWSW	10	070S	240E	4304716199	7035	Federal	GW	P
UTAH FED D-4	UTAH FED D-4	SWSE	14	070S	240E	4304731215	9297	Federal	GW	S
FZ BB 1	BRENNAN FZ-BB1	NESE	20	070S	210E	4304731805	10952	Federal	GW	TA
EAST COYOTE FED 14-4-8-25	EAST COYOTE FED 14-4-8-25	SESW	04	080S	250E	4304732493	11630	Federal	OW	P
F S PRINCE 4	PRINCE 4	SWSW	03	070S	240E	4304732677	7035	Federal	OW	P
GYPSUM HILLS 21	GH 21 WG	SWSW	21	080S	210E	4304732692	11819	Federal	GW	P
SAGE GROUSE FED 6-14-8-22	OU SG 6 14 8 22	SESW	14	080S	220E	4304732746	11944	Federal	GW	P
GYPSUM HILLS 22WG	GH 22 WG	SWNW	22	080S	210E	4304732818	12336	Federal	GW	P
SAGE GROUSE 12A-14-8-22	SAGE GROUSE 12A-14-8-22	NWSW	14	080S	220E	4304733177	12524	Federal	GW	S
OU GB 12W-20-8-22	OU GB 12W-20-8-22	NWSW	20	080S	220E	4304733249	13488	Federal	GW	P
GBU 15-18-8-22	OU GB 15 18 8 22	SWSE	18	080S	220E	4304733364	12690	Federal	GW	P
GLEN BENCH FED 3W-17-8-22	OU GB 3W 17 8 22	NENW	17	080S	220E	4304733513	12950	Federal	GW	P
GLEN BENCH FED 5W-17-8-22	OU GB 5W 17 8 22	SWNW	17	080S	220E	4304733514	12873	Federal	GW	P
WV FED 9W-8-8-22	WV 9W 8 8 22	NESE	08	080S	220E	4304733515	13395	Federal	GW	P
GB FED 9W-18-8-22	OU GB 9W 18 8 22	NESE	18	080S	220E	4304733516	12997	Federal	GW	P
OU GB 3W-20-8-22	OU GB 3W-20-8-22	NENW	20	080S	220E	4304733526	13514	Federal	GW	P
GLEN BENCH 12W-30-8-22	OU GB 12W 30 8 22	NWSW	30	080S	220E	4304733670	13380	Federal	GW	P
WV FU 10W-8-8-22	WV 10W 8 8 22	NWSE	08	080S	220E	4304733814	13450	Federal	GW	P
GH 7W-21-8-21	GH 7W-21-8-21	SWNE	21	080S	210E	4304733845	13050	Federal	GW	P
GH 9W-21-8-21	GH 9W-21-8-21	NESE	21	080S	210E	4304733846	13074	Federal	GW	P
GH 11W-21-8-21	GH 11W-21-8-21	NESW	21	080S	210E	4304733847	13049	Federal	GW	P
GH 15W-21-8-21	GH 15W-21-8-21	SWSE	21	080S	210E	4304733848	13051	Federal	GW	P
WV 7W-22-8-21	WV 7W-22-8-21	SWNE	22	080S	210E	4304733907	13230	Federal	GW	P
WV 9W-23-8-21	WV 9W-23-8-21	NESE	23	080S	210E	4304733909	13160	Federal	GW	P
GHU 14W-20-8-21	GH 14W 20 8 21	SESW	20	080S	210E	4304733915	13073	Federal	GW	P
GB 4W-30-8-22	OU GB 4W 30 8 22	NWNW	30	080S	220E	4304733945	13372	Federal	GW	P
GB 9W-19-8-22	OU GB 9W 19 8 22	NESE	19	080S	220E	4304733946	13393	Federal	GW	P
GB 10W-30-8-22	OU GB 10W 30 8 22	NWSE	30	080S	220E	4304733947	13389	Federal	GW	P
GB 12W-19-8-22	OU GB 12W 19 8 22	NWSW	19	080S	220E	4304733948	13388	Federal	GW	P
GB 9W-25-8-21	GB 9W-25-8-21	NESE	25	080S	210E	4304733960	13390	Federal	GW	P
WV 1W-5-8-22	SU 1W 5 8 22	NENE	05	080S	220E	4304733985	13369	Federal	GW	P
WV 3W-5-8-22	SU 3W 5 8 22	NENW	05	080S	220E	4304733987	13321	Federal	OW	S
WV 7W-5-8-22	SU 7W 5 8 22	SWNE	05	080S	220E	4304733988	13235	Federal	GW	P
WV 9W-5-8-22	SU 9W 5 8 22	NESE	05	080S	220E	4304733990	13238	Federal	GW	P
WV 11W-5-8-22	SU 11W 5 8 22	NESW	05	080S	220E	4304733992	13239	Federal	GW	S
WV 13W-5-8-22	SU 13W 5 8 22	SWSW	05	080S	220E	4304733994	13236	Federal	GW	S
WV 15W-5-8-22	SU 15W 5 8 22	SWSE	05	080S	220E	4304733996	13240	Federal	GW	P
WV 8W-8-8-22	WV 8W-8-8-22	SENE	08	080S	220E	4304734005	13320	Federal	GW	P
WV 14W-8-8-22	WV 14W-8-8-22	SESW	08	080S	220E	4304734007	13322	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU GB 6W-20-8-22	OU GB 6W-20-8-22	SENW	20	080S	220E	4304734018	13518	Federal	GW	P
GB 5W-30-8-22	OU GB 5W 30 8 22	SWNW	30	080S	220E	4304734025	13502	Federal	GW	P
GB 11W-20-8-22	OU GB 11W 20 8 22	NESW	20	080S	220E	4304734039	13413	Federal	GW	P
OU GB 4W-20-8-22	OU GB 4W-20-8-22	NWNW	20	080S	220E	4304734043	13520	Federal	GW	P
GH 5W-21-8-21	GH 5W-21-8-21	SWNW	21	080S	210E	4304734147	13387	Federal	GW	P
GH 6W-21-8-21	GH 6W-21-8-21	SENW	21	080S	210E	4304734148	13371	Federal	GW	P
GH 8W-21-8-21	GH 8W-21-8-21	SENE	21	080S	210E	4304734149	13293	Federal	GW	P
GH 10W-20-8-21	GH 10W-20-8-21	NWSE	20	080S	210E	4304734151	13328	Federal	GW	P
GH 10W-21-8-21	GH 10W-21-8-21	NWSE	21	080S	210E	4304734152	13378	Federal	GW	P
GH 12W-21-8-21	GH 12W-21-8-21	NWSW	21	080S	210E	4304734153	13294	Federal	GW	P
GH 14W-21-8-21	GH 14W-21-8-21	SESW	21	080S	210E	4304734154	13292	Federal	GW	P
GH 16W-21-8-21	GH 16W-21-8-21	SESE	21	080S	210E	4304734157	13329	Federal	GW	P
GB 5W-20-8-22	OU GB 5W 20 8 22	SWNW	20	080S	220E	4304734209	13414	Federal	GW	P
WV 6W-22-8-21	WV 6W-22-8-21	SENW	22	080S	210E	4304734272	13379	Federal	GW	P
GH 1W-20-8-21	GH 1W-20-8-21	NENE	20	080S	210E	4304734327	13451	Federal	GW	P
GH 2W-20-8-21	GH 2W-20-8-21	NWNE	20	080S	210E	4304734328	13527	Federal	GW	P
GH 3W-20-8-21	GH 3W-20-8-21	NENW	20	080S	210E	4304734329	13728	Federal	GW	P
GH 7W-20-8-21	GH 7W-20-8-21	SWNE	20	080S	210E	4304734332	13537	Federal	GW	P
GH 9W-20-8-21	GH 9W-20-8-21	NESE	20	080S	210E	4304734333	13411	Federal	GW	P
GH 11W-20-8-21	GH 11W-20-8-21	NESW	20	080S	210E	4304734334	13410	Federal	GW	P
GH 15W-20-8-21	GH 15W-20-8-21	SWSE	20	080S	210E	4304734335	13407	Federal	GW	P
GH 16W-20-8-21	GH 16W-20-8-21	SESE	20	080S	210E	4304734336	13501	Federal	GW	P
WV 12W-23-8-21	WV 12W-23-8-21	NWSW	23	080S	210E	4304734343	13430	Federal	GW	P
OU GB 13W-20-8-22	OU GB 13W-20-8-22	SWSW	20	080S	220E	4304734348	13495	Federal	GW	P
OU GB 14W-20-8-22	OU GB 14W-20-8-22	SESW	20	080S	220E	4304734349	13507	Federal	GW	P
OU GB 11W-29-8-22	OU GB 11W-29-8-22	NESW	29	080S	220E	4304734350	13526	Federal	GW	P
WV 11G-5-8-22	WVX 11G 5 8 22	NESW	05	080S	220E	4304734388	13422	Federal	OW	P
WV 13G-5-8-22	WVX 13G 5 8 22	SWSW	05	080S	220E	4304734389	13738	Federal	OW	P
WV 15G-5-8-22	WVX 15G 5 8 22	SWSE	05	080S	220E	4304734390	13459	Federal	OW	P
SU BRENNAN W 15W-18-7-22	SU BRENNAN W 15W-18-7-22	SWSE	18	070S	220E	4304734403	13442	Federal	GW	TA
STIRRUP U 16W-5-8-22	SU 16W 5 8 22	SESE	05	080S	220E	4304734446	13654	Federal	GW	P
STIRRUP U 2W-5-8-22	SU 2W 5 8 22	NWNE	05	080S	220E	4304734455	13700	Federal	GW	P
WV 10W-5-8-22	SU 10W 5 8 22	NWSE	05	080S	220E	4304734456	13540	Federal	GW	P
WV 16W-8-8-22	WV 16W-8-8-22	SESE	08	080S	220E	4304734470	13508	Federal	GW	P
GB 16WX-30-8-22	OU GB 16WX 30 8 22	SESE	30	080S	220E	4304734506	13431	Federal	GW	P
OU GB 1W-19-8-22	OU GB 1W-19-8-22	NENE	19	080S	220E	4304734512	13469	Federal	GW	P
OU GB 2W-19-8-22	OU GB 2W-19-8-22	NWNE	19	080S	220E	4304734513	13461	Federal	GW	P
OU GB 5W-19-8-22	OU GB 5W-19-8-22	SWNW	19	080S	220E	4304734514	13460	Federal	GW	P
OU GB 7W-19-8-22	OU GB 7W-19-8-22	SWNE	19	080S	220E	4304734515	13462	Federal	GW	P
OU GB 8W-19-8-22	OU GB 8W-19-8-22	SENE	19	080S	220E	4304734516	13489	Federal	GW	P
OU GB 11W-19-8-22	OU GB 11W-19-8-22	NESW	19	080S	220E	4304734517	13467	Federal	GW	P
OU GB 16W-19-8-22	OU GB 16W-19-8-22	SESE	19	080S	220E	4304734522	13476	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GB 1W-30-8-22	OU GB 1W 30 8 22	NENE	30	080S	220E	4304734528	13487	Federal	GW	P
GB 3W-30-8-22	OU GB 3W 30 8 22	NENW	30	080S	220E	4304734529	13493	Federal	GW	P
GB 6W-30-8-22	OU GB 6W 30 8 22	SENE	30	080S	220E	4304734530	13519	Federal	GW	P
GB 7W-30-8-22	OU GB 7W 30 8 22	SWNE	30	080S	220E	4304734531	13494	Federal	GW	P
GB 8W-30-8-22	OU GB 8W 30 8 22	SENE	30	080S	220E	4304734532	13483	Federal	GW	P
GB 9W-30-8-22	OU GB 9W 30 8 22	NESE	30	080S	220E	4304734533	13500	Federal	GW	P
OU GB 6W-19-8-22	OU GB 6W-19-8-22	SENE	19	080S	220E	4304734534	13475	Federal	GW	P
OU GB 10W-19-8-22	OU GB 10W-19-8-22	NWSE	19	080S	220E	4304734535	13479	Federal	GW	P
OU GB 13W-19-8-22	OU GB 13W-19-8-22	SWSW	19	080S	220E	4304734536	13478	Federal	GW	P
OU GB 14W-19-8-22	OU GB 14W-19-8-22	SESW	19	080S	220E	4304734537	13484	Federal	GW	P
OU GB 15W-19-8-22	OU GB 15W-19-8-22	SWSE	19	080S	220E	4304734538	13482	Federal	GW	P
OU GB 12W-17-8-22	OU GB 12W-17-8-22	NWSW	17	080S	220E	4304734542	13543	Federal	GW	P
OU GB 6W-17-8-22	OU GB 6W-17-8-22	SENE	17	080S	220E	4304734543	13536	Federal	GW	P
OU GB 13W-17-8-22	OU GB 13W-17-8-22	SWSW	17	080S	220E	4304734544	13547	Federal	GW	P
OU GB 6W-29-8-22	OU GB 6W-29-8-22	SENE	29	080S	220E	4304734545	13535	Federal	GW	P
OU GB 3W-29-8-22	OU GB 3W-29-8-22	NENW	29	080S	220E	4304734546	13509	Federal	GW	P
OU GB 13W-29-8-22	OU GB 13W-29-8-22	SWSW	29	080S	220E	4304734547	13506	Federal	GW	P
OU GB 4W-29-8-22	OU GB 4W-29-8-22	NWNW	29	080S	220E	4304734548	13534	Federal	GW	P
OU GB 5W-29-8-22	OU GB 5W-29-8-22	SWNW	29	080S	220E	4304734549	13505	Federal	GW	P
OU GB 14W-17-8-22	OU GB 14W-17-8-22	SESW	17	080S	220E	4304734550	13550	Federal	GW	P
OU GB 11W-17-8-22	OU GB 11W-17-8-22	NESW	17	080S	220E	4304734553	13671	Federal	GW	P
OU GB 14W-29-8-22	OU GB 14W-29-8-22	SESW	29	080S	220E	4304734554	13528	Federal	GW	P
OU GB 2W-17-8-22	OU GB 2W-17-8-22	NWNE	17	080S	220E	4304734559	13539	Federal	GW	P
OU GB 7W-17-8-22	OU GB 7W-17-8-22	SWNE	17	080S	220E	4304734560	13599	Federal	GW	P
OU GB 16W-18-8-22	OU GB 16W-18-8-22	SESE	18	080S	220E	4304734563	13559	Federal	GW	P
OU GB 1W-29-8-22	OU GB 1W-29-8-22	NENE	29	080S	220E	4304734573	13562	Federal	GW	P
OU GB 7W-29-8-22	OU GB 7W-29-8-22	SWNE	29	080S	220E	4304734574	13564	Federal	GW	P
OU GB 8W-29-8-22	OU GB 8W-29-8-22	SENE	29	080S	220E	4304734575	13609	Federal	GW	S
OU GB 9W-29-8-22	OU GB 9W-29-8-22	NESE	29	080S	220E	4304734576	13551	Federal	GW	P
OU GB 10W-29-8-22	OU GB 10W-29-8-22	NWSE	29	080S	220E	4304734577	13594	Federal	GW	P
OU GB 15W-29-8-22	OU GB 15W-29-8-22	SWSE	29	080S	220E	4304734578	13569	Federal	GW	P
OU GB 2W-20-8-22	OU GB 2W-20-8-22	NWNE	20	080S	220E	4304734599	13664	Federal	GW	P
OU GB 2W-29-8-22	OU GB 2W-29-8-22	NWNE	29	080S	220E	4304734600	13691	Federal	GW	P
OU GB 15W-17-8-22	OU GB 15W-17-8-22	SWSE	17	080S	220E	4304734601	13632	Federal	GW	P
OU GB 16W-17-8-22	OU GB 16W-17-8-22	SESE	17	080S	220E	4304734602	13639	Federal	GW	P
OU GB 16W-29-8-22	OU GB 16W-29-8-22	SESE	29	080S	220E	4304734603	13610	Federal	GW	P
OU GB 1W-20-8-22	OU GB 1W-20-8-22	NENE	20	080S	220E	4304734604	13612	Federal	GW	P
OU GB 1W-17-8-22	OU GB 1W-17-8-22	NENE	17	080S	220E	4304734623	13701	Federal	GW	P
OU GB 9W-17-8-22	OU GB 9W-17-8-22	NESE	17	080S	220E	4304734624	13663	Federal	GW	P
OU GB 10W-17-8-22	OU GB 10W-17-8-22	NWSE	17	080S	220E	4304734625	13684	Federal	GW	P
OU GB 9W-20-8-22	OU GB 9W-20-8-22	NESE	20	080S	220E	4304734630	13637	Federal	GW	P
OU GB 10W-20-8-22	OU GB 10W-20-8-22	NWSE	20	080S	220E	4304734631	13682	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU GB 15W-20-8-22	OU GB 15W-20-8-22	SWSE	20	080S	220E	4304734632	13613	Federal	GW	P
WIH 15MU-21-8-22	OU WIH 15MU 21 8 22	SWSE	21	080S	220E	4304734634	13991	Federal	GW	P
OU WIH 13W-21-8-22	OU WIH 13W-21-8-22	SWSW	21	080S	220E	4304734646	13745	Federal	GW	P
OU GB 11W-15-8-22	OU GB 11W-15-8-22	NESW	15	080S	220E	4304734648	13822	Federal	GW	P
OU GB 13W-9-8-22	OU GB 13W-9-8-22	SWSW	09	080S	220E	4304734654	13706	Federal	GW	P
OU WIH 14W-21-8-22	OU WIH 14W-21-8-22	SESW	21	080S	220E	4304734664	13720	Federal	GW	P
OU GB 12WX-29-8-22	OU GB 12WX-29-8-22	NWSW	29	080S	220E	4304734668	13555	Federal	GW	P
OU WIH 10W-21-8-22	OU WIH 10W-21-8-22	NWSE	21	080S	220E	4304734681	13662	Federal	GW	P
OU GB 4G-21-8-22	OU GB 4G-21-8-22	NWNW	21	080S	220E	4304734685	13772	Federal	OW	P
OU GB 3W-21-8-22	OU GB 3W-21-8-22	NENW	21	080S	220E	4304734686	13746	Federal	GW	P
OU GB 16SG-30-8-22	OU GB 16SG-30-8-22	SESE	30	080S	220E	4304734688	13593	Federal	GW	S
OU WIH 7W-21-8-22	OU WIH 7W-21-8-22	SWNE	21	080S	220E	4304734689	13716	Federal	GW	P
OU GB 5W-21-8-22	OU GB 5W-21-8-22	SWNW	21	080S	220E	4304734690	13770	Federal	GW	P
WIH 1MU-21-8-22	WIH 1MU-21-8-22	NENE	21	080S	220E	4304734693	14001	Federal	GW	P
OU GB 5G-19-8-22	OU GB 5G-19-8-22	SWNW	19	080S	220E	4304734695	13786	Federal	OW	P
OU GB 7W-20-8-22	OU GB 7W-20-8-22	SWNE	20	080S	220E	4304734705	13710	Federal	GW	P
OU SG 14W-15-8-22	OU SG 14W-15-8-22	SESW	15	080S	220E	4304734710	13821	Federal	GW	P
OU SG 15W-15-8-22	OU SG 15W-15-8-22	SWSE	15	080S	220E	4304734711	13790	Federal	GW	P
OU SG 16W-15-8-22	OU SG 16W-15-8-22	SESE	15	080S	220E	4304734712	13820	Federal	GW	P
OU SG 4W-15-8-22	OU SG 4W-15-8-22	NWNW	15	080S	220E	4304734713	13775	Federal	GW	P
OU SG 12W-15-8-22	OU SG 12W-15-8-22	NWSW	15	080S	220E	4304734714	13838	Federal	GW	P
OU GB 5MU-15-8-22	OU GB 5MU-15-8-22	SWNW	15	080S	220E	4304734715	13900	Federal	GW	P
OU SG 8W-15-8-22	OU SG 8W-15-8-22	SENE	15	080S	220E	4304734717	13819	Federal	GW	P
OU SG 9W-15-8-22	OU SG 9W-15-8-22	NESE	15	080S	220E	4304734718	13773	Federal	GW	P
OU SG 10W-15-8-22	OU SG 10W-15-8-22	NWSE	15	080S	220E	4304734719	13722	Federal	GW	P
OU SG 2MU-15-8-22	OU SG 2MU-15-8-22	NWNE	15	080S	220E	4304734721	13887	Federal	GW	P
OU SG 7W-15-8-22	OU SG 7W-15-8-22	SWNE	15	080S	220E	4304734722	13920	Federal	GW	P
OU GB 14SG-29-8-22	OU GB 14SG-29-8-22	SESW	29	080S	220E	4304734743	14034	Federal	GW	P
OU GB 16SG-29-8-22	OU GB 16SG-29-8-22	SESE	29	080S	220E	4304734744	13771	Federal	GW	P
OU GB 13W-10-8-22	OU GB 13W-10-8-22	SWSW	10	080S	220E	4304734754	13774	Federal	GW	P
OU GB 6MU-21-8-22	OU GB 6MU-21-8-22	SENW	21	080S	220E	4304734755	14012	Federal	GW	P
OU SG 10W-10-8-22	OU SG 10W-10-8-22	NWSE	10	080S	220E	4304734764	13751	Federal	GW	P
OU GB 14M-10-8-22	OU GB 14M-10-8-22	SESW	10	080S	220E	4304734768	13849	Federal	GW	P
OU SG 9W-10-8-22	OU SG 9W-10-8-22	NESE	10	080S	220E	4304734783	13725	Federal	GW	P
OU SG 16W-10-8-22	OU SG 16W-10-8-22	SESE	10	080S	220E	4304734784	13781	Federal	GW	P
GB 3M-27-8-21	GB 3M-27-8-21	NENW	27	080S	210E	4304734900	14614	Federal	GW	P
WVX 11D-22-8-21	WVX 11D-22-8-21	NESW	22	080S	210E	4304734902	14632	Federal	GW	DRL
GB 11M-27-8-21	GB 11M-27-8-21	NESW	27	080S	210E	4304734952	13809	Federal	GW	P
GB 9D-27-8-21	GB 9D-27-8-21	NESE	27	080S	210E	4304734956	14633	Federal	GW	DRL
GB 1D-27-8-21	GB 1D-27-8-21	NENE	27	080S	210E	4304734957	14634	Federal	GW	DRL
WRU EIH 2M-35-8-22	WRU EIH 2M-35-8-22	NWNE	35	080S	220E	4304735052	13931	Federal	GW	P
GYPSUM HILLS 12MU-20-8-21	GH 12MU 20 8 21	NWSW	20	080S	210E	4304735069	14129	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU SG 4W-11-8-22	OU SG 4W-11-8-22	NWNW	11	080S	220E	4304735071	14814	Federal	GW	DRL
OU SG 5W-11-8-22	OU SG 5W-11-8-22	SWNW	11	080S	220E	4304735072	14815	Federal	GW	DRL
OU SG 6W-11-8-22	SG 6ML 11 8 22	SENE	11	080S	220E	4304735073	14825	Federal	GW	P
OU SG 5MU-14-8-22	OU SG 5MU-14-8-22	SWNW	14	080S	220E	4304735076	13989	Federal	GW	P
OU SG 6MU-14-8-22	OU SG 6MU-14-8-22	SENE	14	080S	220E	4304735077	14128	Federal	GW	P
SG 12MU-14-8-22	SG 12MU-14-8-22	NWSW	14	080S	220E	4304735078	13921	Federal	GW	P
OU SG 13MU-14-8-22	OU SG 13MU-14-8-22	SWSW	14	080S	220E	4304735079	13990	Federal	GW	P
OU SG 9MU-11-8-22	OU SG 9MU-11-8-22	NESE	11	080S	220E	4304735091	13967	Federal	GW	P
SG 11SG-23-8-22	SG 11SG-23-8-22	NESW	23	080S	220E	4304735099	13901	Federal	GW	S
OU SG 14W-11-8-22	OU SG 14W-11-8-22	SESW	11	080S	220E	4304735114	14797	Federal	GW	DRL
SG 5MU-23-8-22	SG 5MU-23-8-22	SWNW	23	080S	220E	4304735115	14368	Federal	GW	P
SG 6MU-23-8-22	SG 6MU-23-8-22	SENE	23	080S	220E	4304735116	14231	Federal	GW	P
SG 14MU-23-8-22	SG 14MU-23-8-22	SESW	23	080S	220E	4304735117	14069	Federal	GW	P
SG 13MU-23-8-22	SG 13MU-23-8-22	SWSW	23	080S	220E	4304735190	14103	Federal	GW	P
WH 7G-10-7-24	WH 7G-10-7-24	SWNE	10	070S	240E	4304735241	14002	Federal	GW	P
GB 4D-28-8-21	GB 4D-28-8-21	NWNW	28	080S	210E	4304735246	14645	Federal	GW	P
GB 7M-28-8-21	GB 7M-28-8-21	SWNE	28	080S	210E	4304735247	14432	Federal	GW	P
GB 14M-28-8-21	GB 14M-28-8-21	SESW	28	080S	210E	4304735248	13992	Federal	GW	P
SG 11MU-23-8-22	SG 11MU-23-8-22	NESW	23	080S	220E	4304735257	13973	Federal	GW	P
SG 15MU-14-8-22	SG 15MU-14-8-22	SWSE	14	080S	220E	4304735328	14338	Federal	GW	P
EIHX 14MU-25-8-22	EIHX 14MU-25-8-22	SESW	25	080S	220E	4304735330	14501	Federal	GW	P
EIHX 11MU-25-8-22	EIHX 11MU-25-8-22	NESW	25	080S	220E	4304735331	14470	Federal	GW	P
NBE 12ML-10-9-23	NBE 12ML-10-9-23	NWSW	10	090S	230E	4304735333	14260	Federal	GW	P
NBE 13ML-17-9-23	NBE 13ML-17-9-23	SWSW	17	090S	230E	4304735334	14000	Federal	GW	P
NBE 4ML-26-9-23	NBE 4ML-26-9-23	NWNW	26	090S	230E	4304735335	14215	Federal	GW	P
SG 7MU-11-8-22	SG 7MU-11-8-22	SWNE	11	080S	220E	4304735374	14635	Federal	GW	P
SG 1MU-11-8-22	SG 1MU-11-8-22	NENE	11	080S	220E	4304735375	14279	Federal	GW	P
OU SG 13W-11-8-22	OU SG 13W-11-8-22	SWSW	11	080S	220E	4304735377	14796	Federal	GW	DRL
SG 3MU-11-8-22	SG 3MU-11-8-22	NENW	11	080S	220E	4304735379	14978	Federal	GW	P
SG 8MU-11-8-22	SG 8MU-11-8-22	SENE	11	080S	220E	4304735380	14616	Federal	GW	P
SG 2MU-11-8-22	SG 2MU-11-8-22	NWNE	11	080S	220E	4304735381	14636	Federal	GW	P
SG 10MU-11-8-22	SG 10MU-11-8-22	NWSE	11	080S	220E	4304735382	14979	Federal	GW	P
OU GB 8MU-10-8-22	OU GB 8MU-10-8-22	SENE	10	080S	220E	4304735422	15321	Federal	GW	DRL
EIHX 2MU-25-8-22	EIHX 2MU-25-8-22	NWNE	25	080S	220E	4304735427	14666	Federal	GW	P
EIHX 1MU-25-8-22	EIHX 1MU-25-8-22	NENE	25	080S	220E	4304735428	14705	Federal	GW	P
EIHX 7MU-25-8-22	EIHX 7MU-25-8-22	SWNE	25	080S	220E	4304735429	14682	Federal	GW	P
EIHX 8MU-25-8-22	EIHX 8MU-25-8-22	SENE	25	080S	220E	4304735430	14706	Federal	GW	P
EIHX 9MU-25-8-22	EIHX 9MU-25-8-22	NESE	25	080S	220E	4304735433	14558	Federal	GW	P
EIHX 16MU-25-8-22	EIHX 16MU-25-8-22	SESE	25	080S	220E	4304735434	14502	Federal	GW	P
EIHX 15MU-25-8-22	EIHX 15MU-25-8-22	SWSE	25	080S	220E	4304735435	14571	Federal	GW	P
EIHX 10MU-25-8-22	EIHX 10MU-25-8-22	NWSE	25	080S	220E	4304735436	14537	Federal	GW	P
GB 3MU-3-8-22	GB 3MU-3-8-22	NENW	03	080S	220E	4304735457	14575	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
NBE 15M-17-9-23	NBE 15M-17-9-23	SWSE	17	090S	230E	4304735463	14423	Federal	GW	P
NBE 7ML-17-9-23	NBE 7ML-17-9-23	SWNE	17	090S	230E	4304735464	14232	Federal	GW	P
NBE 3ML-17-9-23	NBE 3ML-17-9-23	NENW	17	090S	230E	4304735465	14276	Federal	GW	P
NBE 11M-17-9-23	NBE 11M-17-9-23	NESW	17	090S	230E	4304735466	14431	Federal	GW	P
NBE 10ML-10-9-23	NBE 10ML-10-9-23	NWSE	10	090S	230E	4304735650	14377	Federal	GW	P
NBE 6ML-10-9-23	NBE 6ML-10-9-23	SENE	10	090S	230E	4304735651	14422	Federal	GW	P
NBE 12ML-17-9-23	NBE 12ML-17-9-23	NWSW	17	090S	230E	4304735652	14278	Federal	GW	P
NBE 6ML-26-9-23	NBE 6ML-26-9-23	SENE	26	090S	230E	4304735664	14378	Federal	GW	P
NBE 11ML-26-9-23	NBE 11ML-26-9-23	NESW	26	090S	230E	4304735665	14340	Federal	GW	P
NBE 15ML-26-9-23	NBE 15ML-26-9-23	SWSE	26	090S	230E	4304735666	14326	Federal	GW	P
SG 4MU-23-8-22	SG 4MU-23-8-22	NWNW	23	080S	220E	4304735758	14380	Federal	GW	P
RWS 8ML-14-9-24	RWS 8ML-14-9-24	SENE	14	090S	240E	4304735803	14539	Federal	GW	S
SG 11MU-14-8-22	SG 11MU-14-8-22	NESW	14	080S	220E	4304735829	14486	Federal	GW	P
RB DS FED 1G-7-10-18	RB DS FED 1G-7-10-18	NENE	07	100S	180E	4304735932	14457	Federal	OW	S
RB DS FED 14G-8-10-18	RB DS FED 14G-8-10-18	SESW	08	100S	180E	4304735933	14433	Federal	OW	P
OU SG 14MU-14-8-22	OU SG 14MU-14-8-22	SESW	14	080S	220E	4304735950	14479	Federal	GW	P
COY 10ML-14-8-24	COY 10ML-14-8-24	NWSE	14	080S	240E	4304736038		Federal	GW	APD
COY 12ML-24-8-24	COY 12ML-24-8-24	NWSW	24	080S	240E	4304736039	14592	Federal	OW	P
WIH 1AMU-21-8-22	WIH 1AMU-21-8-22	NENE	21	080S	220E	4304736060	14980	Federal	GW	P
NBE 4ML-10-9-23	NBE 4ML-10-9-23	NWNW	10	090S	230E	4304736098	15732	Federal	GW	P
NBE 8ML-10-9-23	NBE 8ML-10-9-23	SENE	10	090S	230E	4304736099	15733	Federal	GW	P
NBE 16ML-10-9-23	NBE 16ML-10-9-23	SESE	10	090S	230E	4304736100	14728	Federal	GW	P
NBE 8ML-12-9-23	NBE 8ML-12-9-23	SENE	12	090S	230E	4304736143	15859	Federal	GW	DRL
WH 12G-11-7-24	WH 12G-11-7-24	NWSW	11	070S	240E	4304736195		Federal	GW	APD
HC 16M-6-7-22	HC 16M-6-7-22	SESE	06	070S	220E	4304736197		Federal	GW	APD
HC 14M-6-7-22	HC 14M-6-7-22	SESW	06	070S	220E	4304736198		Federal	GW	APD
WWT 8ML-25-8-24	WWT 8ML-25-8-24	SENE	25	080S	240E	4304736199		Federal	GW	APD
GB 16D-28-8-21	GB 16D-28-8-21	SESE	28	080S	210E	4304736260	14981	Federal	GW	P
WH 7G-3-7-24	WH 7G-3-7-24	SWNE	03	070S	240E	4304736347		Federal	GW	APD
NBE 5ML-10-9-23	NBE 5ML-10-9-23	SWNW	10	090S	230E	4304736353	15227	Federal	GW	P
NBE 7ML-10-9-23	NBE 7ML-10-9-23	SWNE	10	090S	230E	4304736355	15850	Federal	GW	DRL
NBE 3ML-10-9-23	NBE 3ML-10-9-23	NENW	10	090S	230E	4304736356	15393	Federal	GW	P
WH 4G-10-7-24	WH 4G-10-7-24	NWNW	10	070S	240E	4304736359		Federal	GW	APD
EIHX 4MU-36-8-22	EIHX 4MU-36-8-22	NWNW	36	080S	220E	4304736444	14875	Federal	GW	P
EIHX 3MU-36-8-22	EIHX 3MU-36-8-22	NENW	36	080S	220E	4304736445	14860	Federal	GW	P
EIHX 2MU-36-8-22	EIHX 2MU-36-8-22	NWNE	36	080S	220E	4304736446	14840	Federal	GW	P
EIHX 1MU-36-8-22	EIHX 1MU-36-8-22	NENE	36	080S	220E	4304736447	14861	Federal	GW	P
WWT 2ML-24-8-24	WWT 2ML-24-8-24	NWNE	24	080S	240E	4304736515		Federal	GW	APD
RWS 1ML-1-9-24	RWS 1ML-1-9-24	NENE	01	090S	240E	4304736517		Federal	GW	APD
RWS 3ML-1-9-24	RWS 3ML-1-9-24	NENW	01	090S	240E	4304736518		Federal	GW	APD
RWS 9ML-1-9-24	RWS 9ML-1-9-24	NESE	01	090S	240E	4304736519		Federal	GW	APD
RWS 15ML-1-9-24	RWS 15ML-1-9-24	SWSE	01	090S	240E	4304736521		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
BSW 1ML-12-9-24	BSW 1ML-12-9-24	NENE	12	090S	240E	4304736522		Federal	GW	APD
BSW 11ML-13-9-24	BSW 11ML-13-9-24	NESW	13	090S	240E	4304736523		Federal	GW	APD
NBE 7ML-26-9-23	NBE 7ML-26-9-23	SWNE	26	090S	230E	4304736587	16008	Federal	GW	DRL
NBE 8ML-26-9-23	NBE 8ML-26-9-23	SENE	26	090S	230E	4304736588	15689	Federal	GW	P
NBE 1ML-26-9-23	NBE 1ML-26-9-23	NENE	26	090S	230E	4304736589	15880	Federal	GW	DRL
NBE 2ML-26-9-23	NBE 2ML-26-9-23	NWNE	26	090S	230E	4304736590	15898	Federal	GW	DRL
NBE 3ML-26-9-23	NBE 3ML-26-9-23	NENW	26	090S	230E	4304736591	15906	Federal	GW	DRL
NBE 5ML-26-9-23	NBE 5ML-26-9-23	SWNW	26	090S	230E	4304736592	15839	Federal	GW	DRL
NBE 9ML-10-9-23	NBE 9ML-10-9-23	NESE	10	090S	230E	4304736593	15438	Federal	GW	P
NBE 11ML-10-9-23	NBE 11ML-10-9-23	NESW	10	090S	230E	4304736594	15228	Federal	GW	P
NBE 15ML-10-9-23	NBE 15ML-10-9-23	SWSE	10	090S	230E	4304736595	15439	Federal	GW	P
NBE 1ML-12-9-23	NBE 1ML-12-9-23	NENE	12	090S	230E	4304736613		Federal	GW	APD
NBE 2ML-17-9-23	NBE 2ML-17-9-23	NWNE	17	090S	230E	4304736614	15126	Federal	GW	P
NBE 4ML-17-9-23	NBE 4ML-17-9-23	NWNW	17	090S	230E	4304736615	15177	Federal	GW	P
NBE 6ML-17-9-23	NBE 6ML-17-9-23	SENW	17	090S	230E	4304736616	15127	Federal	GW	P
NBE 10ML-17-9-23	NBE 10ML-17-9-23	NWSE	17	090S	230E	4304736617	15128	Federal	GW	P
NBE 14ML-17-9-23	NBE 14ML-17-9-23	SESW	17	090S	230E	4304736618	15088	Federal	GW	P
NBE 9ML-26-9-23	NBE 9ML-26-9-23	NESE	26	090S	230E	4304736619	15322	Federal	GW	P
NBE 10D-26-9-23	NBE 10D-26-9-23	NWSE	26	090S	230E	4304736620	15975	Federal	GW	DRL
NBE 12ML-26-9-23	NBE 12ML-26-9-23	NWSW	26	090S	230E	4304736621	15840	Federal	GW	DRL
NBE 13ML-26-9-23	NBE 13ML-26-9-23	SWSW	26	090S	230E	4304736622	15690	Federal	GW	P
NBE 14ML-26-9-23	NBE 14ML-26-9-23	SESW	26	090S	230E	4304736623	15262	Federal	GW	P
NBE 16ML-26-9-23	NBE 16ML-26-9-23	SESE	26	090S	230E	4304736624	15735	Federal	GW	P
RWS 13ML-14-9-24	RWS 13ML-14-9-24	SWSW	14	090S	240E	4304736737		Federal	GW	APD
RWS 12ML-14-9-24	RWS 12ML-14-9-24	NWSW	14	090S	240E	4304736738		Federal	GW	APD
SG 3MU-23-8-22	SG 3MU-23-8-22	SESW	14	080S	220E	4304736940	15100	Federal	GW	P
NBE 5ML-17-9-23	NBE 5ML-17-9-23	SWNW	17	090S	230E	4304736941	15101	Federal	GW	P
WWT 2ML-25-8-24	WWT 2ML-25-8-24	NWNE	25	080S	240E	4304737301		Federal	GW	APD
WWT 1ML-25-8-24	WWT 1ML-25-8-24	NENE	25	080S	240E	4304737302		Federal	GW	APD
HK 15ML-19-8-25	HK 15ML-19-8-25	SWSE	19	080S	250E	4304737303		Federal	GW	APD
WT 13ML-19-8-25	WT 13ML-19-8-25	SWSW	19	080S	250E	4304737304		Federal	GW	APD
HK 3ML-29-8-25	HK 3ML-29-8-25	NENW	29	080S	250E	4304737305		Federal	GW	APD
HK 5ML-29-8-25	HK 5ML-29-8-25	SWNW	29	080S	250E	4304737330		Federal	GW	APD
HK 2ML-30-8-25	HK 2ML-30-8-25	NWNE	30	080S	250E	4304737331		Federal	GW	APD
HK 5ML-30-8-25	HK 5ML-30-8-25	SWNW	30	080S	250E	4304737332		Federal	GW	APD
HK 10ML-30-8-25	HK 10ML-30-8-25	NWSE	30	080S	250E	4304737333		Federal	GW	APD
HK 14ML-30-8-25	HK 14ML-30-8-25	SESW	30	080S	250E	4304737334		Federal	GW	APD
HK 6ML-30-8-25	HK 6ML-30-8-25	SENW	30	080S	250E	4304737348		Federal	GW	APD
HK 8ML-30-8-25	HK 8ML-30-8-25	SENE	30	080S	250E	4304737349		Federal	GW	APD
WWT 7ML-25-8-24	WWT 7ML-25-8-24	SWNE	25	080S	240E	4304737407		Federal	GW	APD
WWT 9ML-25-8-24	WWT 9ML-25-8-24	NESE	25	080S	240E	4304737408		Federal	GW	APD
WWT 10ML-25-8-24	WWT 10ML-25-8-24	NWSE	25	080S	240E	4304737409		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WWT 15ML-25-8-24	WWT 15ML-25-8-24	SWSE	25	080S	240E	4304737410		Federal	GW	APD
BBS 15G-22-7-21	BBS 15G-22-7-21	SWSE	22	070S	210E	4304737443	15688	Federal	OW	P
WWT 15ML-13-8-24	WWT 15ML-13-8-24	SWSE	13	080S	240E	4304737524		Federal	GW	APD
WWT 16ML-13-8-24	WWT 16ML-13-8-24	SESE	13	080S	240E	4304737525		Federal	GW	APD
COY 6ML-23-8-24	COY 6ML-23-8-24	SENE	23	080S	240E	4304737526		Federal	GW	APD
NBZ 8ML-23-8-24	NBZ 8ML-23-8-24	SENE	23	080S	240E	4304737527		Federal	GW	APD
COY 9ML-23-8-24	COY 9ML-23-8-24	NESE	23	080S	240E	4304737528		Federal	GW	APD
NBZ 15ML-23-8-24	NBZ 15ML-23-8-24	SWSE	23	080S	240E	4304737529		Federal	GW	APD
COY 16ML-23-8-24	COY 16ML-23-8-24	SESE	23	080S	240E	4304737530		Federal	GW	APD
COY 5ML-24-8-24	COY 5ML-24-8-24	SWNW	24	080S	240E	4304737531		Federal	GW	APD
COY 6ML-24-8-24	COY 6ML-24-8-24	SENE	24	080S	240E	4304737532		Federal	GW	APD
COY 6ML-21-8-24	COY 6ML-21-8-24	SENE	21	080S	240E	4304737584		Federal	GW	APD
COY 4ML-21-8-24	COY 4ML-21-8-24	NWNW	21	080S	240E	4304737585		Federal	GW	APD
COY 14ML-21-8-24	COY 14ML-21-8-24	SESW	21	080S	240E	4304737586		Federal	GW	APD
COY 15ML-21-8-24	COY 15ML-21-8-24	SWSE	21	080S	240E	4304737587		Federal	GW	NEW
WWT 1ML-24-8-24	WWT 1ML-24-8-24	NENE	24	080S	240E	4304737590		Federal	GW	APD
RWS 13ML-23-9-24	RWS 13ML-23-9-24	SWSW	23	090S	240E	4304737591		Federal	GW	APD
WWT 8ML-24-8-24	WWT 8ML-24-8-24	SENE	24	080S	240E	4304737640		Federal	GW	APD
GB 16ML-20-8-22	GB 16ML-20-8-22	SESE	20	080S	220E	4304737664	15948	Federal	GW	DRL
NBZ 1ML-29-8-24	NBZ 1ML-29-8-24	NENE	29	080S	240E	4304737666		Federal	GW	APD
WWT 16ML-24-8-24	WWT 16ML-24-8-24	SESE	24	080S	240E	4304737930		Federal	GW	APD
WWT 15ML-24-8-24	WWT 15ML-24-8-24	SWSE	24	080S	240E	4304737931		Federal	GW	APD
COY 14ML-24-8-24	COY 14ML-24-8-24	SESW	24	080S	240E	4304737932		Federal	GW	APD
COY 13ML-24-8-24	COY 13ML-24-8-24	SWSW	24	080S	240E	4304737933		Federal	GW	APD
COY 11ML-24-8-24	COY 11ML-24-8-24	NESW	24	080S	240E	4304737934		Federal	GW	APD
COY 15ML-14-8-24	COY 15ML-14-8-24	SWSE	14	080S	240E	4304737935		Federal	GW	APD
COY 14ML-14-8-24	COY 14ML-14-8-24	SESW	14	080S	240E	4304737936		Federal	GW	APD
COY 12ML-14-8-24	COY 12ML-14-8-24	NWSW	14	080S	240E	4304737937		Federal	GW	APD
COY 11ML-14-8-24	COY 11ML-14-8-24	NESW	14	080S	240E	4304737938		Federal	GW	APD
WVX 8ML-5-8-22	WVX 8ML-5-8-22	SENE	05	080S	220E	4304738140		Federal	GW	APD
WVX 6ML-5-8-22	WVX 6ML-5-8-22	SENE	05	080S	220E	4304738141		Federal	GW	APD
BBS 5G-23-7-21	BBS 5G-23-7-21	SWNW	23	070S	210E	4304738471		Federal	OW	APD
GB 12SG-29-8-22	GB 12SG-29-8-22	NWSW	29	080S	220E	4304738766		Federal	GW	APD
GB 10SG-30-8-22	GB 10SG-30-8-22	NWSE	30	080S	220E	4304738767		Federal	GW	APD
NBE 12SWD-10-9-23	NBE 12SWD-10-9-23	NWSW	10	090S	230E	4304738875		Federal	WD	APD
OP 16MU-3-7-20	OP 16MU-3-7-20	SESE	03	070S	200E	4304738944		Federal	OW	APD
WF 1P-1-15-19	WF 1P-1-15-19	NWNW	06	150S	200E	4304736781	14862	Indian	GW	S

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265	7. UNIT or CA AGREEMENT NAME: see attached
PHONE NUMBER: (303) 308-3068	8. WELL NAME and NUMBER: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached	9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	10. FIELD AND POOL, OR WILDCAT:

COUNTY: Uintah

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regulatory Affairs
SIGNATURE DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:

QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR:

1050 17th Street Suite 500 Denver

STATE CO ZIP 80265

PHONE NUMBER:

(303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:

see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

see attached

7. UNIT or CA AGREEMENT NAME:

see attached

8. WELL NAME and NUMBER:

see attached

9. API NUMBER:

attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION



NOTICE OF INTENT
(Submit in Duplicate)

Approximate date work will start:

1/1/2007



SUBSEQUENT REPORT
(Submit Original Form Only)

Date of work completion:



ACIDIZE



ALTER CASING



CASING REPAIR



CHANGE TO PREVIOUS PLANS



CHANGE TUBING



CHANGE WELL NAME



CHANGE WELL STATUS



COMMINGLE PRODUCING FORMATIONS



CONVERT WELL TYPE



DEEPEN



FRACTURE TREAT



NEW CONSTRUCTION



OPERATOR CHANGE



PLUG AND ABANDON



PLUG BACK



PRODUCTION (START/RESUME)



RECLAMATION OF WELL SITE



RECOMPLETE - DIFFERENT FORMATION



REPERFORATE CURRENT FORMATION



SIDETRACK TO REPAIR WELL



TEMPORARILY ABANDON



TUBING REPAIR



VENT OR FLARE



WATER DISPOSAL



WATER SHUT-OFF



OTHER: Well Name Changes

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

January 23, 2008

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Name Change Approval

Attached is a certified copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the merger from the Eastern States state office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **QEP Uinta Basin, Inc.** into **Questar Exploration and Production Co.** is effective May 1, 2007, which is a correction to the effective dated stated in the decision letter. For verification of effective date, please refer to the name change certificate from the State of Texas.

/s/ Leslie Wilcken

Leslie Wilcken
Land Law Examiner
Branch of Fluid Minerals

cc: MMS
State of Utah, DOGM,

bcc: Dave Mascarenas
Susan Bauman
Connie Seare

RECEIVED
JAN 28 2008
DIV. OF LAND, ESTATE & SURVEYING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007**SUNDRY NOTICES AND REPORTS ON WELLS****Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.****SUBMIT IN TRIPLICATE- Other instructions on reverse side.**1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator **Questar Exploration and Production, Inc.**3a. Address
11002 E. 17500 S. VERNAL, UT 84078-85263b. Phone No. (include area code)
435-781-43414. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SENE, SECTION 14, T9S, R24E, SLBM5. Lease Serial No.
UTU 739176. If Indian, Allottee or Tribe Name
N/A7. If Unit or CA/Agreement, Name and/or No.
Big Valley8. Well Name and No.
RWS 8ML-14-9-249. API Well No.
43-047-3580310. Field and Pool, or Exploratory Area
Redwash South11. County or Parish, State
Uintah**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar requests approval to plug and abandon this well as follows:

1. Fill hole with minimum 9 ppg fluid.
2. Circulate a minimum of 50' of cement on top of CIBP @ 5920'
3. Balance a cement plug from 4560' to 4360'
4. Balance a cement plug from 3420' to 2600'
5. Perforate the production casing @ 100' set a cement plug from 100' to surface in the production casing and the surface - production annulus
6. Cut off wellhead, install dryhole marker

COPY SENT TO OPERATOR
Date: **6-20-07**
Initials: **PM****RECEIVED**
MAY 31 2007**DIV. OF OIL, GAS & MINING**14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)**Kirk Fleetwood****Kirk.Fleetwod@Questar.com**Title **Petroleum Engineer**

Signature



Date

05/29/2007**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Accepted by the
Utah Division of
Oil, Gas and Mining
Office: **6/18/07**Date **6/18/07**
Federal Approval Of This
Action Is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator **Questar Exploration and Production Inc.**

3a. Address
1050 17th Street, Suite 500 Denver, CO 80265

3b. Phone No. (include area code)
303 308-3068

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SENE Section 14, T9S, R24E

5. Lease Serial No.
UTU 73917

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Big Valley

8. Well Name and No.
RWS 8ML-14-9-24

9. API Well No.
43-047-35803

10. Field and Pool, or Exploratory Area
Redwash South

11. County or Parish, State
Uintah, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar Exploration and Production reports the following work to plug and abandon has occurred between September 19, 2007 and September 22, 2007 as follows:

1. Set CIBP at 4534' and pump 10 sacks on top
2. Set plug at 3488' with 75 sacks or 890'. Tagged plug.
3. Set plug at 1320' with 20 sacks or 268'
4. Perfed at 100', pumped cement down tubing and up annulus.
5. Weld on nameplate, backfill

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Debra K. Stanberry

Title **Supervisor, Regulatory Affairs**

Signature

Date

10-16-07

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

RECEIVED

OCT 24 2007

DIV. OF OIL, GAS & MINING

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

copy created from udolm website
ML 1-27-2016

well file ? duplicate?

Form 3160-5
(April 2004)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

APR 04 2016

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS GAS & MINING

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator Questar Exploration and Production Inc.

3a. Address
1050 17th Street, Suite 500 Denver, CO 80265

3b. Phone No. (include area code)
303 308-3068

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SENE Section 14, T9S, R24E

5. Lease Serial No.
UTU 73917

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Big Valley

8. Well Name and No.
RWS 8ML-14-9-24

9. API Well No.
43-047-35803

10. Field and Pool, or Exploratory Area
Redwash South

11. County or Parish, State
Uintah, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

☐ Acidize
☐ Alter Casing
☐ Casing Repair
☐ Change Plans
☐ Convert to Injection

☐ Deepen
☐ Fracture Treat
☐ New Construction
☒ Plug and Abandon
☐ Plug Back

☐ Production (Start/Resume)
☐ Reclamation
☐ Recomplete
☐ Temporarily Abandon
☐ Water Disposal

☐ Water Shut-Off
☐ Well Integrity
☐ Other

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar Exploration and Production reports the following work to plug and abandon has occurred between September 19, 2007 and September 22, 2007 as follows:

1. Set CIBP at 4534' and pump 10 sacks on top
2. Set plug at 3488' with 75 sacks or 890'. Tagged plug.
3. Set plug at 1320' with 20 sacks or 268'
4. Perfed at 100', pumped cement down tubing and up annulus.
5. Weld on nameplate, backfill

SME BLM

CONDITIONS OF APPROVAL ATTACHED

VERNAL FIELD OFFICE

ENG. ML 1-28-2016

GEOL.

E.S.

CY 3/3/16

PET Inspector - JB.i

witnessing
JB.i Jake Becknell

Abdn 9-22-2007

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Debra K. Stanberry

Title Supervisor, Regulatory Affairs

Signature

Date

10-16-07

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Assistant Field Manager
Lands & Mineral Resources

MAR 11 2016

Office

VERNAL FIELD OFFICE

RECEIVED

OCT 24 2007

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

none EC document

91 y16
ml

DIV. OF OIL, GAS & MINING

Final Reclamation
CONDITIONS OF APPROVAL
AEP ~~Kerr-McGee Oil & Gas Onshore~~

Well: RWS 8ML-14-9-24

- Within 30 days after plugging the well, a Sundry Notice (SR) will be submitted for approval that addresses proposed final reclamation of the well site, access road, pipelines and disturbed areas. Please note that the earthwork for final reclamation must be completed within 6 months after the plugging of the well (weather permitting) as per Onshore Order # 1(section XII.B). The proposed reclamation plan should reflect the reclamation within the Surface Use Plan of Operations approved with the APD, any proposed changes to that plan, and the Green River Reclamation Guidelines.
- Following well plugging and abandonment, the location, access roads, pipelines, and other facilities shall be reclaimed to attain BLM standards.
- Upon completion of reclamation operations, the lessee or operator must notify the BLM when the location has met the BLM standards set forth in the Green River District Reclamation Guideline of 75% basal cover based on similar undisturbed adjacent native vegetative community, and comprised of desired species and/or seeded species. This shall occur with 5 years of initial reclamation action. (See Green River District Reclamation Guidelines for more details).
- A reclamation report shall be submitted to the Authorized Officer by March 1 of each year. (See Green River District Reclamation Guidelines for more details).